

Readings of the radiation rate with the cooperation of universities

Upper column: Reading of the integrated dose(24h)
Lower column: the reference value which was calculated as the number per one hour

Prefecture	Monitoring Point	City	4/9 ~ 4/10
Hokkaido	1	Muroran City	1 μ Sv (0.04 μ Sv/h)
	2	Obihiro City	1 μ Sv (0.04 μ Sv/h)
	3	Asahikawa City	1 μ Sv (0.04 μ Sv/h)
	4	Kitami City	2 μ Sv (0.08 μ Sv/h)
	5	Kushiro City	1 μ Sv (0.04 μ Sv/h)
	6	Hakodate City	1 μ Sv (0.04 μ Sv/h)
Aomori	7	Hirosaki City	1 μ Sv (0.04 μ Sv/h)
	8	Hachinohe City	1 μ Sv (0.04 μ Sv/h)
Miyagi	9	Sendai City	2 μ Sv (0.08 μ Sv/h)
Yamagata	10	Yonezawa City	2 μ Sv (0.08 μ Sv/h)
	11	Tsuruoka City	2 μ Sv (0.08 μ Sv/h)
Fukushima	12	Fukushima City	10 μ Sv (0.42 μ Sv/h)
Ibaraki	13	Tsukuba City	4 μ Sv (0.17 μ Sv/h)
Tochigi	14	Oyama City	3 μ Sv (0.13 μ Sv/h)
Gunma	15	Kiryu City	3 μ Sv (0.13 μ Sv/h)
Chiba	16	Chiba City	4 μ Sv (0.17 μ Sv/h)
	17	Kisarazu City	3 μ Sv (0.13 μ Sv/h)
Tokyo	18	Bunkyo Ward	4 μ Sv (0.17 μ Sv/h)
	19	Fuchu City	2 μ Sv (0.08 μ Sv/h)
	20	Meguro Ward	2 μ Sv (0.08 μ Sv/h)
	21	Minato Ward	2 μ Sv (0.08 μ Sv/h)
	22	Hachioji City	2 μ Sv (0.08 μ Sv/h)
Kanagawa	23	Yokohama City	2 μ Sv (0.08 μ Sv/h)
Niigata	24	Nagaoka City	2 μ Sv (0.08 μ Sv/h)
Nagano	25	Matsumoto City	2 μ Sv (0.08 μ Sv/h)
	26	Ueda City	2 μ Sv (0.08 μ Sv/h)

* We have measured the integrated dose(24h) from around 2PM to the next day.

* Readings of lower column are the reference value because of the lower limit of the pocket dosimeter (1 μ Sv)

Radiation in Daily-life

※Unit : μSv



※ Sv [Sievert] = Constant of organism effect by kind of radiation (※) \times Gy [gray]

※ It is 1 in case of X ray and γ ray.