Readings at Monitoring Post out of 20 Km Zone of Fukushima Dai-ichi NPP

As of 13:00 April 13, 2011 Ministry of Education, Culture, Sports, Science and Technology (MEXT)

Monitoring Outputs by MEXT

- * 1 measured by Geiger-Müller counter * 2 measured by ionization chamber type survey meter
- * 3 measured by Nal scintillator detector
- * 4 variation range of the measuring data in measuring time

			Monitoring Post	Monitoring Time	Reading (unit: µSv / h)	Weather	Reading by
Reading	Point	[2]	Onami Takinoiri, Fukushima city (About55kmNorthWest)	2011/4/13 9:56	2.3 *2	No Rain	JAEA (Japan Atomic Energy Agency)
Reading	Point	[84]	Saiso, Miwa town, Iwaki city (About40kmSouthWest)	2011/4/13 10:55	0.5 *2	No Rain	JAEA (Japan Atomic Energy Agency)
Reading	Point	[85]	Harajiku, Arai, Fukushima city (About60kmNorthWest)	2011/4/13 6:00	0.3 *2	No Rain	Ministry of Defense
Reading	Point	[86]	Choemonbayashi, Ootsuki town, Koriyama city (About55kmWest)	2011/4/13 6:00	1.0 *2	No Rain	Ministry of Defense
Reading	Point	[87]	Hananouchi, Kamikawauchi, Kawauchi village, Futaba county (About30kmWestSouthWest)	2011/4/13 6:00	1.1 ⁺²	No Rain	Ministry of Defense
Reading	Point	[101]	Ryozen town Oishi aza ,MinowaDate city (About55kmNorthWest)	2011/4/13 10:54	0.9 *2	No Rain	JAEA (Japan Atomic Energy Agency)

Readings at Monitoring Post out of Fukushima Dai-ichi NPP




Monitoring Time April 13, 6:00~11:00

Monitoring Post

Unit: μ Sv per hour

Circles indicate approximate range.



Sv [Sievert] = Constant of organism effect by kind of radiation(※) × Gy [gray]

X It is 1 in case of X ray and γ ray.

MEXT makes this, based on "Nuclear power 2002" made by Agency of Natural Resources and Energy.