

Readings of the radiation rate with the cooperation of universities

Upper column : Reading of the integrated dose(24h)
Lower column : the reference value which was calculated
as the number per one hour

Prefecture	Monitoring Point	City	4/18~4/19
Hokkaido	1	Muroran City	1 μ Sv (0.04 μ Sv/h)
	2	Obihiro City	1 μ Sv (0.04 μ Sv/h)
	3	Asahikawa City	2 μ Sv (0.08 μ Sv/h)
	4	Kitami City	2 μ Sv (0.08 μ Sv/h)
	5	Kushiro City	1 μ Sv (0.04 μ Sv/h)
	6	Hakodate City	1 μ Sv (0.04 μ Sv/h)
Aomori	7	Hirosaki City	1 μ Sv (0.04 μ Sv/h)
	8	Hachinohe City	1 μ Sv (0.04 μ Sv/h)
Miyagi	9	Sendai City	3 μ Sv (0.13 μ Sv/h)
Yamagata	10	Yonezawa City	2 μ Sv (0.08 μ Sv/h)
	11	Tsuruoka City	2 μ Sv (0.08 μ Sv/h)
Fukushima	12	Fukushima City	10 μ Sv (0.42 μ Sv/h)
Ibaraki	13	Tsukuba City	3 μ Sv (0.13 μ Sv/h)
Tochigi	14	Oyama City	3 μ Sv (0.13 μ Sv/h)
Gunma	15	Kiryu City	2 μ Sv (0.08 μ Sv/h)
Chiba	16	Chiba City	3 μ Sv (0.13 μ Sv/h)
	17	Kisarazu City	3 μ Sv (0.13 μ Sv/h)
Tokyo	18	Bunkyo Ward	2 μ Sv (0.08 μ Sv/h)
	19	Fuchu City	2 μ Sv (0.08 μ Sv/h)
	20	Meguro Ward	2 μ Sv (0.08 μ Sv/h)
	21	Minato Ward	3 μ Sv (0.13 μ Sv/h)
	22	Hachioji City	2 μ Sv (0.08 μ Sv/h)
Kanagawa	23	Yokohama City	2 μ Sv (0.08 μ Sv/h)
Niigata	24	Nagaoka City	2 μ Sv (0.08 μ Sv/h)
Nagano	25	Matsumoto City	3 μ Sv (0.13 μ Sv/h)
	26	Ueda City	3 μ Sv (0.13 μ Sv/h)

Toyama	27	Takaoka City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Ishikawa	28	Nobi City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Fukui	29	Eiheiji Town	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Gifu	30	Gifu City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Shizuoka	31	Hamamatsu City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
	32	Numazu City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Aichi	33	Toyohashi City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Mie	34	Tsu City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Shiga	35	Hikone City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Kyoto	36	Uji City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Osaka	37	Suita City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Hyogo	38	Akashi City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Nara	39	Ikoma City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Wakayama	40	Gobo City	$3 \mu\text{Sv}$ ($0.13 \mu\text{Sv/h}$)
Tottori	41	Tottori City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Okayama	42	Tsuyama City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Hiroshima	43	Higashi-Hiroshima City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Yamaguchi	44	Ube City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Tokushima	45	Anan City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Kagawa	46	Mitoyo City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Ehime	47	Niihama City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Kochi	48	Nangoku City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Fukuoka	49	Fukuoka City	Less than $1 \mu\text{Sv}$
Nagasaki	50	Nagasaki City	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)
Kumamoto	51	Kumamoto City	$1 \mu\text{Sv}$ ($0.04 \mu\text{Sv/h}$)
Miyazaki	52	Miyakonojo City	$1 \mu\text{Sv}$ ($0.04 \mu\text{Sv/h}$)
Kagoshima	53	Kirishima City	$1 \mu\text{Sv}$ ($0.04 \mu\text{Sv/h}$)
Okinawa	54	Nishihara Town	$2 \mu\text{Sv}$ ($0.08 \mu\text{Sv/h}$)

* We have measured the integrated dose(24h) from around 2PM to the next day.

* Readings of lower column are the reference value because of the lower limit of the pocket dosimeter ($1 \mu\text{Sv}$)

Radiation in Daily-life

※Unit : μSv



※ Sv [Sievert] = Constant of organism effect by kind of radiation (※) × Gy [gray]

※ It is 1 in case of X ray and γ ray.