

Readings of the radiation rate with the cooperation of universities

Upper column: Reading of the integrated dose(24h)
Lower column: the reference value which was calculated
as the number per one hour

Prefecture	Monitoring Point	City	4/13~4/14
Hokkaido	1	Muroran City	2 μ Sv (0.08 μ Sv/h)
	2	Obihiro City	1 μ Sv (0.04 μ Sv/h)
	3	Asahikawa City	2 μ Sv (0.08 μ Sv/h)
	4	Kitami City	2 μ Sv (0.08 μ Sv/h)
	5	Kushiro City	1 μ Sv (0.04 μ Sv/h)
	6	Hakodate City	2 μ Sv (0.08 μ Sv/h)
Aomori	7	Hirosaki City	1 μ Sv (0.04 μ Sv/h)
	8	Hachinohe City	1 μ Sv (0.04 μ Sv/h)
Miyagi	9	Sendai City	3 μ Sv (0.13 μ Sv/h)
Yamagata	10	Yonezawa City	2 μ Sv (0.08 μ Sv/h)
	11	Tsuruoka City	2 μ Sv (0.08 μ Sv/h)
Fukushima	12	Fukushima City	10 μ Sv (0.42 μ Sv/h)
Ibaraki	13	Tsukuba City	3 μ Sv (0.13 μ Sv/h)
Tochigi	14	Oyama City	2 μ Sv (0.08 μ Sv/h)
Gunma	15	Kiryu City	3 μ Sv (0.13 μ Sv/h)
Chiba	16	Chiba City	3 μ Sv (0.13 μ Sv/h)
	17	Kisarazu City	2 μ Sv (0.08 μ Sv/h)
Tokyo	18	Bunkyo Ward	4 μ Sv (0.17 μ Sv/h)
	19	Fuchu City	2 μ Sv (0.08 μ Sv/h)
	20	Meguro Ward	2 μ Sv (0.08 μ Sv/h)
	21	Minato Ward	1 μ Sv (0.04 μ Sv/h)
	22	Hachioji City	2 μ Sv (0.08 μ Sv/h)
Kanagawa	23	Yokohama City	2 μ Sv (0.08 μ Sv/h)
Niigata	24	Nagaoka City	2 μ Sv (0.08 μ Sv/h)
Nagano	25	Matsumoto City	3 μ Sv (0.13 μ Sv/h)
	26	Ueda City	2 μ Sv (0.08 μ Sv/h)

* We have measured the integrated dose(24h) from around 2PM to the next day.

* Readings of lower column are the reference value because of the lower limit of the pocket dosimeter (1 μ Sv)

Toyama	27	Takaoka City	—
Ishikawa	28	Nomi City	2 μ Sv (0.08 μ Sv/h)
Fukui	29	Yoshida county Eiheiji Town	2 μ Sv (0.08 μ Sv/h)
Gifu	30	Gifu City	3 μ Sv (0.13 μ Sv/h)
Shizuoka	31	Hamamatsu City	2 μ Sv (0.08 μ Sv/h)
	32	Numazu City	1 μ Sv (0.04 μ Sv/h)
Aichi	33	Toyohashi City	1 μ Sv (0.04 μ Sv/h)
Mie	34	Tsu City	2 μ Sv (0.08 μ Sv/h)
Shiga	35	Hikone City	2 μ Sv (0.08 μ Sv/h)
Kyoto	36	Kyoto City	2 μ Sv (0.08 μ Sv/h)
Osaka	37	Suita City	2 μ Sv (0.08 μ Sv/h)
Hyogo	38	Akashi City	2 μ Sv (0.08 μ Sv/h)
Nara	39	Ikukoma City	1 μ Sv (0.04 μ Sv/h)
Wakayama	40	Gobo City	2 μ Sv (0.08 μ Sv/h)
Tottori	41	Tottori City	2 μ Sv (0.08 μ Sv/h)
Okayama	42	Tsuyama City	3 μ Sv (0.13 μ Sv/h)
Hiroshima	43	Higashihiroshima City	2 μ Sv (0.08 μ Sv/h)
Yamaguchi	44	Ube City	2 μ Sv (0.08 μ Sv/h)
Tokushima	45	Anan City	2 μ Sv (0.08 μ Sv/h)
Kagawa	46	Mitoyo City	2 μ Sv (0.08 μ Sv/h)
Ehime	47	Niihama City	1 μ Sv (0.04 μ Sv/h)
Kochi	48	Nangoku City	2 μ Sv (0.08 μ Sv/h)
Fukuoka	49	Fukuoka City	1 μ Sv (0.04 μ Sv/h)
Nagasaki	50	Nagasaki City	2 μ Sv (0.08 μ Sv/h)
Kumamoto	51	Kumamoto City	1 μ Sv (0.04 μ Sv/h)
Miyazaki	52	Miyakonojyo City	2 μ Sv (0.08 μ Sv/h)
Kagoshima	53	Kirishima City	1 μ Sv (0.04 μ Sv/h)
Okinawa	54	Nakagami county Nishihara Town	1 μ Sv (0.04 μ Sv/h)


* We have measured the integrated dose(24h) from around 2PM to the next day.

* Readings of lower column are the reference value because of the lower limit of the pocket dosimeter (1 μ Sv)

* "Under Measurement" is illustrated as "—" in the table.

Radiation in Daily-life

※Unit : μSv



※ Sv [Sievert] = Constant of organism effect by kind of radiation (※) × Gy [gray]

※ It is 1 in case of X ray and γ ray.