

Readings of the radiation rate with the cooperation of universities

Upper column:Reading of the integrated dose(24h)
 Lower column:the reference value which was calculated
 as the number per one hour

| Prefecture | Monitoring Point | City | 4/14~4/15 |
|------------|------------------|----------------|----------------------------------|
| Hokkaido | 1 | Muroran City | 1 μ Sv (0.04 μ Sv/h) |
| | 2 | Obihiro City | 1 μ Sv (0.04 μ Sv/h) |
| | 3 | Asahikawa City | 2 μ Sv (0.08 μ Sv/h) |
| | 4 | Kitami City | 2 μ Sv (0.08 μ Sv/h) |
| | 5 | Kushiro City | 1 μ Sv (0.04 μ Sv/h) |
| | 6 | Hakodate City | 1 μ Sv (0.04 μ Sv/h) |
| Aomori | 7 | Hirosaki City | 1 μ Sv (0.04 μ Sv/h) |
| | 8 | Hachinohe City | 1 μ Sv (0.04 μ Sv/h) |
| Miyagi | 9 | Sendai City | 2 μ Sv (0.08 μ Sv/h) |
| Yamagata | 10 | Yonezawa City | 3 μ Sv (0.13 μ Sv/h) |
| | 11 | Tsuruoka City | 2 μ Sv (0.08 μ Sv/h) |
| Fukushima | 12 | Fukushima City | 10 μ Sv (0.42 μ Sv/h) |
| Ibaraki | 13 | Tsukuba City | 2 μ Sv (0.08 μ Sv/h) |
| Tochigi | 14 | Oyama City | 3 μ Sv (0.13 μ Sv/h) |
| Gunma | 15 | Kiryu City | 3 μ Sv (0.13 μ Sv/h) |
| Chiba | 16 | Chiba City | 4 μ Sv (0.17 μ Sv/h) |
| | 17 | Kisarazu City | 4 μ Sv (0.17 μ Sv/h) |
| Tokyo | 18 | Bunkyo Ward | 4 μ Sv (0.17 μ Sv/h) |
| | 19 | Fuchu City | 2 μ Sv (0.08 μ Sv/h) |
| | 20 | Meguro Ward | 2 μ Sv (0.08 μ Sv/h) |
| | 21 | Minato Ward | 2 μ Sv (0.08 μ Sv/h) |
| | 22 | Hachioji City | 2 μ Sv (0.08 μ Sv/h) |
| Kanagawa | 23 | Yokohama City | 2 μ Sv (0.08 μ Sv/h) |
| Niigata | 24 | Nagaoka City | 2 μ Sv (0.08 μ Sv/h) |
| Nagano | 25 | Matsumoto City | 2 μ Sv (0.08 μ Sv/h) |
| | 26 | Ueda City | 2 μ Sv (0.08 μ Sv/h) |

* We have measured the integrated dose(24h) from around 2PM to the next day.

* Readings of lower column are the reference value because of the lower limit of the pocket dosimeter (1 μ Sv)

| | | | |
|-----------|----|------------------------|---|
| Toyama | 27 | Takaoka City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Ishikawa | 28 | Nobi City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Fukui | 29 | Eiheiji Town | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Gifu | 30 | Gifu City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Shizuoka | 31 | Hamamatsu City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| | 32 | Numazu City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Aichi | 33 | Toyohashi City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Mie | 34 | Tsu City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Shiga | 35 | Hikone City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Kyoto | 36 | Kyoto City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Osaka | 37 | Suita City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Hyogo | 38 | Akashi City | $3 \mu\text{Sv}$ (0.13 $\mu\text{Sv}/\text{h}$) |
| Nara | 39 | Ikoma City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Wakayama | 40 | Gobo City | $3 \mu\text{Sv}$ (0.13 $\mu\text{Sv}/\text{h}$) |
| Tottori | 41 | Tottori City | $3 \mu\text{Sv}$ (0.13 $\mu\text{Sv}/\text{h}$) |
| Okayama | 42 | Tsuyama City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Hiroshima | 43 | Higashi-Hiroshima City | $3 \mu\text{Sv}$ (0.13 $\mu\text{Sv}/\text{h}$) |
| Yamaguchi | 44 | Ube City | $3 \mu\text{Sv}$ (0.13 $\mu\text{Sv}/\text{h}$) |
| Tokushima | 45 | Anan City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Kagawa | 46 | Mitoyo City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Ehime | 47 | Niihama City | $3 \mu\text{Sv}$ (0.13 $\mu\text{Sv}/\text{h}$) |
| Kochi | 48 | Nangoku City | $1 \mu\text{Sv}$ (0.04 $\mu\text{Sv}/\text{h}$) |
| Fukuoka | 49 | Fukuoka City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Nagasaki | 50 | Nagasaki City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Kumamoto | 51 | Kumamoto City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Miyazaki | 52 | Miyakonojo City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Kagoshima | 53 | Kirishima City | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |
| Okinawa | 54 | Nishihara Town | $2 \mu\text{Sv}$ (0.08 $\mu\text{Sv}/\text{h}$) |


* We have measured the integrated dose(24h) from around 2PM to the next day.

* Readings of lower column are the reference value because of the lower limit of the pocket dosimeter ($1 \mu\text{Sv}$)

* "Under Measurement" is illustrated as "—" in the table.

Radiation in Daily-life

※Unit : μSv



※ Sv [Sievert] = Constant of organism effect by kind of radiation (※) \times Gy [gray]

※ It is 1 in case of X ray and γ ray.