

2011.4.12 13:00

(Bq/kg)

		( )		
		I - 131	Cs - 134, Cs - 137	
1	( )			
2	( )			
3	( )			
4		-	-	( r J ) : <a href="http://www.pref.miyagi.jp/gen tai/Press/PressH230315.html">http://www.pref.miyagi.jp/gen tai/Press/PressH230315.html</a> )
5	( )			
6	가 ( 가 )			
7				( r ( ) J : <a href="http://www.pref.fukushima.jp/j/index.htm">http://www.pref.fukushima.jp/j/index.htm</a> )
8	( )	0.91		
9	( )	3.7		
10	( )	0.70	0.35	
11	( )	0.41	0.2	
12	( )			
13	( )	0.60	0.27	
14	가 가 ( 가 )			
15	가 ( 가 )	0.31		
16	( )			
17	(가 )			
18	( )			
19	( )			
20	가 ( 가 )			
21	(가 가 )			
22	( )			
23	( )			
24	( )			
25	가 ( )			
26	( )			
27	( )			
28	( )			
29	( )			
30	( )			
31	( )			
32	( )			
33	( )			
34	( )			
35	( )			
36	( )			
37	가가 ( )			
38	( )			
39	( )			
40	( )			
41	가 ( 가 )			
42	가 ( )			
43	( )			
44	( )			
45	( )			
46	가 (가 )			
47	( )			

\* , 1Bq/L 1Bq/kg

\*

\*r ( ) , : 200Bq/kg

131:300Bq/kg ,