

(Readings of the radiation rate with the cooperation of universities)

:24

(Upper column: reading of the integrated dose(24h)

1


(Lower column: the reference value which was calculated as the number per one hour)

(Prefecture)	(Reading Point)	(City)	5/16 ~ 5/17
(Hokkaido)	1	(Muroran City)	2 $\mu$ Sv ( 0.08 $\mu$ Sv/h )
	2	(Obihiro City)	1 $\mu$ Sv ( 0.04 $\mu$ Sv/h )
	3	(Asahikawa City)	1 $\mu$ Sv ( 0.04 $\mu$ Sv/h )
	4	(Kitami City)	1 $\mu$ Sv ( 0.04 $\mu$ Sv/h )
	5	(Kushiro City)	1 $\mu$ Sv ( 0.04 $\mu$ Sv/h )
	6	(Hakodate City)	1 $\mu$ Sv ( 0.04 $\mu$ Sv/h )
(Aomori)	7	(Hirosaki City)	1 $\mu$ Sv ( 0.04 $\mu$ Sv/h )
	8	(Hachinohe City)	1 $\mu$ Sv ( 0.04 $\mu$ Sv/h )
(Miyagi)	9	(Sendai City)	2 $\mu$ Sv ( 0.08 $\mu$ Sv/h )
가 (Yamagata)	10	(Yonezawa City)	3 $\mu$ Sv ( 0.13 $\mu$ Sv/h )
	11	(Tsuruoka City)	2 $\mu$ Sv ( 0.08 $\mu$ Sv/h )
(Fukushima)	12	(Fukushima City)	8 $\mu$ Sv ( 0.33 $\mu$ Sv/h )
(Ibaraki)	13	(Tsukuba City)	3 $\mu$ Sv ( 0.13 $\mu$ Sv/h )
(Tochigi)	14	(Oyama City)	3 $\mu$ Sv ( 0.13 $\mu$ Sv/h )
(Gunma)	15	(Kiryu City)	2 $\mu$ Sv ( 0.08 $\mu$ Sv/h )
(Chiba)	16	(Chiba City)	4 $\mu$ Sv ( 0.17 $\mu$ Sv/h )
	17	(Kisarazu City)	3 $\mu$ Sv ( 0.13 $\mu$ Sv/h )
(Tokyo)	18	(Bunkyo Ward)	3 $\mu$ Sv ( 0.13 $\mu$ Sv/h )
	19	(Fuchu City)	2 $\mu$ Sv ( 0.08 $\mu$ Sv/h )
	20	(Meguro Ward)	1 $\mu$ Sv ( 0.04 $\mu$ Sv/h )
	21	(Minato Ward)	2 $\mu$ Sv ( 0.08 $\mu$ Sv/h )
	22	(Hachioji City)	1 $\mu$ Sv ( 0.04 $\mu$ Sv/h )
가 가 (Kanagawa)	23	(Yokohama City)	2 $\mu$ Sv ( 0.08 $\mu$ Sv/h )
가 (Niigata)	24	가 (Nagaoka City)	1 $\mu$ Sv ( 0.04 $\mu$ Sv/h )
가 (Nagano)	25	(Matsumoto City)	3 $\mu$ Sv ( 0.13 $\mu$ Sv/h )
	26	(Ueda City)	1 $\mu$ Sv ( 0.04 $\mu$ Sv/h )



# 《 일상생활과 방사선 》

주:본 자료는 일본어로 작성한 자료의 잠정적 번역임.



※ Sv【시버트】=방사선 종류에 의한 생물효과의 정수 (※) × Gy【그레이】

※ X선, γ선에서는 1