

H23.3.21 13:00

(Bq/kg)

	Prefecture (City)	Drinking Water		
		I-131	Cs-137	Remarks
1	Hokkaido(Sapporo City)	Not Ditectable	Not Ditectable	
2	Aomori(Aomori City)	Not Ditectable	Not Ditectable	
3	Iwate(Morioka City)	Not Ditectable	Not Ditectable	
4	Miyagi	-	-	Not be measured because of the earthquake disaster damage
5	Akita(Akita City)	Not Ditectable	Not Ditectable	
6	Yamagata(Yamagata City)	Not Ditectable	Not Ditectable	
7	Fukushima	-	-	*Refer to the website of Fukushima Pref (http://www.pref.fukushima.jp/j/index.htm)
8	Ibaraki	12	0.48	Measurements arrived, though delayed due to water stoppage
9	Tochigi(Utsunomiya City)	10	2.8	
10	Gunma(Maebashi City)	5.9	1.2	
11	Saitama(Saitama City)	2.0	Not Ditectable	
12	Chiba(Ichihara City)	0.68	Not Ditectable	
13	Tokyo(Shinjuku Ward)	2.9	Not Ditectable	
14	Kanagawa(Chigasaki City)	0.46	Not Ditectable	
15	Niigata(Niigata City)	3.6	Not Ditectable	
16	Toyama(Imizu City)	Not Ditectable	Not Ditectable	
17	Ishikawa(Kanazawa City)	Not Ditectable	Not Ditectable	
18	Fukui(Fukui City)	Not Ditectable	Not Ditectable	
19	Yamanashi(Kofu City)	0.24	Not Ditectable	
20	Nagano(Nagano City)	Not Ditectable	Not Ditectable	
21	Gifu(Kakamigahara City)	Not Ditectable	Not Ditectable	
22	Shizuoka(Shizuoka City)	Not Ditectable	Not Ditectable	
23	Aichi(Nagoya City)	Not Ditectable	Not Ditectable	
24	Mie(Yokkaichi City)	Not Ditectable	Not Ditectable	
25	Shiga(Otsu City)	Not Ditectable	Not Ditectable	
26	Kyoto(Kyoto City)	Not Ditectable	Not Ditectable	
27	Osaka(Osaka City)	Not Ditectable	Not Ditectable	
28	Hyogo(Kobe City)	Not Ditectable	Not Ditectable	
29	Nara	-	-	On Setting up the equipment
30	Wakayama(Wakayama City)	Not Ditectable	Not Ditectable	
31	Tottori(Tohaku District)	Not Ditectable	Not Ditectable	
32	Shimane(Matsue City)	Not Ditectable	Not Ditectable	
33	Okayama(Okayama City)	Not Ditectable	Not Ditectable	
34	Hiroshima(Hiroshima City)	Not Ditectable	Not Ditectable	
35	Yamaguchi(Ube City)	Not Ditectable	Not Ditectable	
36	Tokushima(Tokushima City)	Not Ditectable	Not Ditectable	
37	Kagawa(Takamatsu City)	Not Ditectable	Not Ditectable	
38	Ehime(Yawatahama City)	Not Ditectable	Not Ditectable	
39	Kochi(Kochi City)	Not Ditectable	Not Ditectable	
40	Fukuoka(Dazaifu City)	Not Ditectable	Not Ditectable	
41	Saga(Saga City)	Not Ditectable	Not Ditectable	
42	Nagasaki(Omura City)	Not Ditectable	Not Ditectable	
43	Kumamoto(Uto City)	Not Ditectable	Not Ditectable	
44	Oita(Oita City)	Not Ditectable	Not Ditectable	
45	Miyazaki(Miyazaki City)	Not Ditectable	Not Ditectable	
46	Kagoshima(Kagoshima City)	Not Ditectable	Not Ditectable	
47	Okinawa(Naha City)	Not Ditectable	Not Ditectable	

*These figures are estimated as 1Bq/litter = 1Bq/kg

*The table was made by MEXT, based on the reports from prefectures.

*“Emergency Preparedness for Nuclear Facilities(The Nuclear Safety Commission of Japan)”, The index of drinking water based on the indicator about the restriction of food intake, I-131:More than 300Bq/kg, Cs-137:More than 200Bq/kg