

No.				(μ Sv / h)									
								*					
								가					
				1m	50cm	1m	50cm	1m	50cm	1m	50cm		
1		2	10:28	0.9	1.0	0.6	0.6	0.2	0.1	0.1	0.1		
2			11:08	1.0	0.9	1.2	1.2	0.6	0.6	0.4	0.4		
3		가	12:03	0.9	0.9	1.2	1.4	0.2	0.1	0.1	0.1		
4		1	13:24	0.8	0.8	1.1	1.3	0.2	0.2	0.1	0.1		
5		3	14:26	0.6	0.7	1.4	1.6	0.2	0.1	0.1	0.1		
6		가	11:53	0.5	0.5	1.2	1.4	0.2	0.2	0.1	0.1		
7		4	10:51	0.5	0.5	0.6	0.7	0.5	0.4	0.3	0.3		
8			13:30	0.6	0.6	1.1	1.0	0.5	0.4	0.4	0.4		
9			13:53	0.6	0.6	1.2	1.3	0.2	0.2	0.1	0.1		
10			14:23	0.6	0.6	0.8	0.8	0.4	0.3	0.2	0.2		
11			14:55	0.7	0.7	1.3	1.5	0.4	0.2	0.1	0.1		
12			11:42	0.5	0.5	0.4	0.4	0.2	0.2	0.1	0.1		
13		가	13:00	0.7	0.6	0.7	0.7	0.4	0.3	0.2	0.2		
14			11:01	0.6	0.6	0.6	0.5	0.3	0.2	0.1	0.1		
15			10:35	0.6	0.5	0.4	0.4	0.2	0.2	0.1	0.1		
16		2	13:35	0.6	0.5	1.4	1.6	0.5	0.5	0.2	0.2		
17			14:17	0.6	0.5	1.1	1.3	0.5	0.4	0.2	0.1		
18		가	11:13	2.7	3.1	2.0	2.2	0.7	0.6	0.2	0.2		
19			12:02	2.2	2.4	1.4	1.6	0.2	0.2	0.2	0.1		
20			12:50	2.7	2.9	1.3	1.3	0.4	0.4	0.1	0.1		
21			15:20	3.0	3.3	2.2	2.4	0.4	0.4	0.3	0.3		
22			11:21	0.8	0.7	1.7	2.1	0.7	0.6	0.3	0.2		
23			13:13	0.6	0.6	1.2	1.5	0.4	0.3	0.2	0.2		
24			13:58	0.9	0.8	2.0	2.1	0.4	0.3	0.2	0.2		
25			13:38	0.6	0.6	1.2	1.5	0.4	0.4	0.2	0.1		
26			11:03	2.7	2.9	1.5	1.1	0.3	0.2	0.2	0.2		
27			11:37	1.8	1.8	1.8	1.8	0.6	0.5	0.3	0.2		
28			12:00	2.2	2.0	1.6	1.7	0.7	0.6	0.5	0.4		
29			13:24	0.8	0.7	1.8	2.0	0.4	0.2	0.2	0.2		
30			15:08	2.2	2.4	0.8	0.8	0.4	0.2	0.2	0.2		
31			14:17	1.8	2.1	0.8	0.9	0.6	0.4	0.2	0.2		
32			13:42	2.6	2.9	1.5	1.8	0.4	0.2	0.1	0.1		
33			12:03	1.8	2.0	1.4	1.4	0.3	0.2	0.2	0.1		
34			11:20	1.9	2.2	0.8	0.9	0.3	0.3	0.1	0.1		

No.				($\mu\text{Sv/h}$)									
								*					
								가					
				1m	50cm	1m	50cm	1m	50cm	1m	50cm		
35		2	14:59	2.4	2.8	1.1	1.1	0.5	0.3	0.1	0.1		
36			14:07	0.4	0.5	0.7	0.8	0.3	0.3	0.2	0.2		
37			15:50			1.0	1.2	0.6	0.4	0.1	0.1		
38			11:13	2.6	2.7	1.1	1.1	0.2	0.1	0.1	0.1		
39		가	12:20	1.9	2.1	0.9	1.1	0.2	0.1	0.1	0.1		
40		1	13:21	2.1	2.3	1.0	1.2	0.5	0.4	0.1	0.1		
41		3	13:44	2.8	3.2	1.5	1.4	0.3	0.2	0.2	0.2		
42		2	15:01	2.6	2.9	1.6	1.5	0.4	0.2	0.2	0.2		
43			14:16	2.4	2.8	2.2	2.6						
44			14:26	2.2	2.5	1.3	1.3	0.6	0.3	0.2	0.1		
45			15:28	2.5	2.8	1.5	1.7	0.4	0.2	0.1	0.1		
46			16:06	2.1	2.5	0.7	0.8	0.4	0.3	0.2	0.2		
47			11:03	2.4	2.8	1.9	1.9	1.0	0.8	0.6	0.5		
48			11:28	0.9	0.8	1.1	1.1	0.9	0.8	0.7	0.6	2	
49			13:39	3.0	3.2	0.9	0.8	0.5	0.2	0.2	0.2	1	
50			15:17	2.8	3.2	1.9	1.8						
51			12:02	2.1	2.3	1.1	1.2	0.2	0.2	0.1	0.1		
52			16:45	2.8	3.0	1.7	2.1	0.3	0.2	0.2	0.1		
53			12:12	2.5	2.8	1.3	1.4	0.3	0.2	0.2	0.1		
54			11:46	2.6	2.7	1.5	1.5	0.2	0.1	0.1	0.1		
55			11:03	2.6	2.9	1.6	1.7	0.5	0.4	0.2	0.1		
56			12:25	3.2	3.4	2.9	3.0	0.7	0.6	0.5	0.5	1	

* : 1m , 50cm
3

No.			(μ Sv/h)				/ 1 m	/ 50 cm
			1 m	50 cm	1 m	50 cm		
6		가	0.2	0.2	0.2	0.1	0.7	1.3
6		가 ()	0.5	0.1	0.1	0.1		
21			0.6	0.2	0.2	0.1	1.7	1.0
21		()	0.3	0.2	0.1	0.1		
35		2	0.6	0.5	0.2	0.1	1.0	2.5
35		2 ()	0.7	0.1	0.1	0.1		
37			0.4	0.2	0.1	0.1	0.7	1.0
37		()	0.6	0.1	0.1	0.1		
46			0.5	0.4	0.3	0.2	1.6	1.4
46		()	0.2	0.2	0.2	0.2		
49			0.5	0.2	0.2	0.2	1.1	1.1
49		()	0.5	0.2	0.2	0.1		
52			0.3	0.2	0.2	0.2	1.0	0.9
52		()	0.3	0.2	0.3	0.2		
55			0.4	0.2	0.1	0.1	0.9	1.5
55		()	0.5	0.1	0.1	0.1		
							1.1	1.3

)

《 일상생활과 방사선 》

주:본 자료는 일본어로 작성한 자료의 잠정적 번역임.



※ Sv【시버트】=방사선 종류에 의한 생물효과의 정수 (※) × Gy【그레이】

※ X선, γ선에서는 1