Readings of Radiation Monitoring of Outdoor Swimming Pools at Schools, etc. in Fukushima Prefecture (Preliminary Report)

> July 20, 2011 Nuclear Emergency Response Headquarters (Radioactivity Team) Disaster Provision Main Office of Fukushima Pref. (Nuclear Power Team)

1 Date Thursday July 7 – Wednesday, July 13, 2011

2 Investigation object

Number of facilities monitored	Number for this report			
	(Those monitored on July 7–13)			
2 2 0	6 3			

The number of facilities to be monitored was initially 76. However, having received additional requests from nursery facilities, etc. the number was modified to 220 as shown in the table (as of July 19).

3 Monitoring Results

Analyses of radioactive nuclides of the water in outdoor swimming pools at schools, etc

(1) Radioactive iodine

Not detected at all facilities.

- (2) Radioactive cesium
 - Cs 134 Not detectable ~ 1.11Bq/L
 - Cs 137 Not detectable ~ 1.67Bq/L

4 Handling of monitoring results

The form of utilization of the public pool at which cesium-134 and cesium-137 was detected this time is considered to be similar to that of utilization of bathing areas.

Also, regarding swimming pools in junior high schools where cesium 137 was detected, we request that the installation personnel make a judgment on the necessity of restricting the use of the facilities, based on the situation in each area, by referring to the "Use of Outdoor Swimming Pools at Schools in Fukushima Prefecture" (Nuclear Safety Division, Science and Technology Policy Bureau, and School Health Education Division, Sports and Youth Bureau, Ministry of Education, Culture, Sports, Science and Technology, June 16, 2011) and "Notice of Use of Outdoor Swimming Pools at Schools in Fukushima Prefecture" (Chairman, Fukushima Prefectureal Board of Education, June 21, 2011,).

(Reference)

Indication of water quality regarding radioactive materials in bathing areas considered when making a judgment on the establishment of bathing areas (provisional values for this summer) (*):

• Radioactive cesium(Cs 134 and Cs 137) 50Bq/L

- I-131 30Bq/L
- * The radioactive cesium that was detected this time is significantly lower than the

indicated amount

(*) "Indication of Radioactive Materials in Bathing Areas" (Kansuitai No. 110624001, Notice of the Manager of the Water Environment Management Division, Environmental Management Bureau, Ministry of the Environment, June 24, 2011)

Readings of Radiation Monitoring at Open-air Swimming Pools of Schools in Fukushima Prefecture

July 20, 2011

Nuclear Emergency Response Headquarters (Radioactivity Team) Disaster Provision Main Office of Fukushima Pref. (Nuclear Power Team) Fukushima Prefectural Bureau of Culture and Sports (Sports Fukushima Prefectural Board of Education (School Life Health Division) (from July 7 to July 13)

	ducted twice		(from July 7 to July 13 Analysis results (Bq/L)						
Region	Address	Sampling Point		ive iodine	Radioactive cesium				
			- ⁻	131	Cs-		Cs	s-137	
	Date City	Date City Hobara pool (50 m)	/	7/13	//	7/13	//	7/13	
	,			ND 7/13	//	1.11 7/13		LTD 7/13	
	Date City	Date City Hobara pool (25m)		ND	/	LTD		0.73	
		Date City Hobara pool		7/13		7/13		7/13	
	Date City	(infant pool)		ND		ND		LTD	
Kenpoku	Fukushima	Central municipal swimming	6/28	7/12	6/28	7/12	6/28	7/12	
	city	pool(Walking pool)	ND	ND	ND	LTD	ND	1.67	
	Fukushima	Central municipal swimming	6/28	7/12	6/28	7/12	6/28	7/12	
	city	pool(50m pool)	ND	ND	LTD	LTD	1.14	LTD	
	Fukushima	Central municipal swimming	6/28	7/12	6/28	7/12	6/28	7/12	
	city	pool(25m pool)	ND	ND 7/8	ND	ND 7/8	0.84	ND 7/0	
	Aizubange Town	Aizubange Town Bange Elementary School	6/24 ND	778 ND	6/24 ND	778 ND	6/24 ND	7/8 LTD	
	Aizubange	Aizubange Town Wakamiya	6/24	7/8	6/24	7/8	6/24	7/8	
	Town	Elementary School	0/24 ND	ND	0/24 ND	ND	0/24 ND	ND	
	Aizubange	Aizubange Town Kanagami	6/24	7/8	6/24	7/8	6/24	7/8	
	Town	Elementary School	ND	ND	ND	ND	LTD	ND	
	Aizubange	Aizubange Town Hirose	6/24	7/8	6/24	7/8	6/24	7/8	
	Town	Elementary School	ND	ND	ND	ND	ND	ND	
	Aizubange	Aizubange Town Daiichi Junior	6/24	7/8	6/24	7/8	6/24	7/8	
	Town	High School	ND	ND	ND	ND	ND	LTD	
	Aizumisato	Hikari Kindergarten	6/28	7/12	6/28	7/12	6/28	7/12	
	Town	HIKAIT KIIDergarten	ND	ND	ND	ND	ND	ND	
	Aizuwakamats	Aizu-Wakamatsu Xaverui	6/28	7/12	6/28	7/12	6/28	7/12	
	u City	Gakuen Elementary School	ND	ND	ND	ND	ND	ND	
	Inawashiro	Inawashiro Town Kinashima	6/27	7/11	6/27	7/11	6/27	7/11	
	Town	Elementary School	ND	ND	ND	ND	ND	ND	
	Inawashiro	Inawashiro Town Senri	6/27	7/11	6/27	7/11	6/27	7/11	
	Town	Elementary School	ND	ND	ND	ND	ND	ND	
	Inawashiro Town	Inawashiro Town Inawashiro Elementary School	6/27 ND	7/11 ND	6/27 ND	7/11 ND	6/27 ND	7/11 ND	
	Inawashiro	Inawashiro Town Azuma	6/27	7/11	6/27	7/11	6/27	7/11	
	Town	Elementary School	ND	ND	ND	ND	ND	ND	
	Inawashiro	Inawashiro Town Midori	6/27	7/11	6/27	7/11	6/27	7/11	
	Town	Elementary School	ND	ND	ND	ND	ND	ND	
	Inawashiro	Inawashiro Town Nagase	6/27	7/11	6/27	7/11	6/27	7/11	
Aizu	Town	Elementary School	ND	ND	ND	ND	ND	ND	
	Inawashiro	Inawashiro Town Inawashiro	6/27	7/11	6/27	7/11	6/27	7/11	
	Town Inawashiro	Junior High School Inawashiro Town Azuma Junior	ND 6/27	ND 7/11	ND 6/27	ND 7/11	ND 6/27	0.98	
	Town	High School	0/2/ ND	ND	0/2/ ND	ND	0/2/ ND	ND	
	Inawashiro	Inawashiro Town Higashi	6/27	7/11	6/27	7/11	6/27	7/11	
	Town	Junior High School	ND	ND	ND	ND	ND	ND	
	Kaneyama	Kaneyama Town Kanayama	6/24	7/8	6/24	7/8	6/24	7/8	
	Town	Elementary School	ND	ND	ND	ND	ND	ND	
	Kaneyama	Kaneyama Town Yokota	6/24	7/8	6/24	7/8	6/24	7/8	
	Town	Elementary School	ND	ND	ND	ND	ND	ND	
	Kitakata City	municipal swimming pool		7/11	/	7/11		7/11	
	-	(25m) Kita Shiahara Villara Sakura	0/07	ND	0./07	ND	0./07	ND	
		Kita Shiobara Village Sakura		7/11	6/27	7/11	6/27	7/11	
	Village Kita Shiobara	Elementary School Kita Shiobara Village	ND	ND 7/11	ND	ND 7/11	ND	LTD 7/11	
	Village	Urabandai Elementary	\sim	ND	\sim	ND	\sim	ND	
		Kita Shiobara Village Daiichi		7/11		7/11		7/11	
	Village	Junior High School	\sim	ND	\backslash	ND	\sim	ND	
	Shimogou	Shimogou Town Asahida	6/23	7/7	6/23	7/7	6/23	7/7	
	Town	Elementary School	ND	ND	ND	ND	ND	ND	
	Shimogou	Shimogou Town Egawa	6/23	7/7	6/23	7/7	6/23	7/7	
	Town	Elementary School	ND	ND	ND	ND	ND	ND	
	Shimogou	Shimogou Town Narahara	6/23	7/7	6/23	7/7	6/23	7/7	
	Town	Elementary School	ND 6 (22	ND	ND 6 (22	ND	ND 6 (22	ND	
	Shimogou Town	Shimogou Town Schimogou Junior High School	6/23 ND	7/7 ND	6/23 ND	7/7 ND	6/23 ND	7/7 ND	

Region	Address				Analysis results (Bq/L)			
		Sampling Point		ive iodine	Radioactive cesium			
				131		134		s-137
	Shouwa Village	Shouwa Village Shouwa	6/24	7/8	6/24	7/8	6/24	7/8
	°	Elementary School Tadami Town Tadami Junior	ND	ND	ND	ND	ND 0./00	ND
	Tadami Town	High School	6/23 ND	7/7	6/23 ND	7/7 ND	6/23 ND	7/7
		Tadami Town Asahi	6/23	ND 7/7	6/23	7/7	6/23	ND 7/7
	Tadami Town	Elementary School	6/23 ND	ND	6/23 ND	ND	6/23 ND	ND
		Tadami Town Meiwa	6/23	7/7	6/23	7/7	6/23	7/7
	Tadami Town	Elementary School	ND	ND	ND	ND	0/23 ND	ND
		Tadami Town Tadami Junior	6/23	7/7	6/23	7/7	6/23	7/7
	Tadami Town	High School	ND	ND	ND	ND	ND	ND
	Bandai Town	Bandai Town Bandaidaiichi	6/27	7/11	6/27	7/11	6/27	7/11
		Elementary School	ND	ND	ND	ND	ND	ND
	D 1.1.7	Bandai Town Bandaidaini	6/27	7/11	6/27	7/11	6/27	7/11
	Bandai Town	Elementary School	ND	ND	ND	ND	ND	ND
	Bandai Town	Bandai Town Bandai Junior	6/27	7/11	6/27	7/11	6/27	7/11
		High School	ND	ND	ND	ND	ND	ND
		Mishima Town Mishima	6/24	7/8	6/24	7/8	6/24	7/8
Aizu	Mishima Town	Elementary School	ND	ND	ND	ND	ND	ND
	Mat 10	Mishima Town Mishima	6/24	7/8	6/24	7/8	6/24	7/8
	Mishima Town	Junior High School	ND	ND	ND	ND	ND	ND
		Yanaizu Town Yanaizu	6/24	7/8	6/24	7/8	6/24	7/8
	Yanaizu Town	Elementary School	ND	ND	ND	ND	ND	ND
		Yanaizu Town Nishiyama	6/24	7/8	6/24	7/8	6/24	7/8
	Yanaizu Town	Junior High School	ND	ND	ND	ND	ND	ND
		Yanaizu Town Yanaizu		7/8	\sim	7/8	\sim	7/8
	Yanaizu Town	Junior High School		ND	\backslash	ND	\backslash	ND
		Yanaizu Town Yugawa	6/24	7/8	6/24	7/8	6/24	7/8
	Yugawa Village	Kindergarden	ND	ND	ND	ND	ND	ND
		Yanaizu Town Oikawa	6/24	7/8	6/24	7/8	6/24	7/8
	Yugawa Village	Elementary School	ND	ND	ND	ND	ND	ND
	Yugawa Village	Yanaizu Town Shouzyou		7/8	\sim	7/8	\sim	7/8
		Elementary School		ND	\backslash	ND	\sim	ND
	Yugawa Village	Yanaizu Town Yugawa	6/24	7/8	6/24	7/8	6/24	7/8
		Junior High School	ND	ND	ND	ND	ND	ND
	Minamiaizu	Minamiaizu Town Tazima	6/23	7/7	6/23	7/7	6/23	7/7
	Town	Elementary School	ND	ND	ND	ND	ND	ND
	Minamiaizu	Minamiaizu Town Tazimadaini	6/23	7/7	6/23	7/7	6/23	7/7
	Town	Elementary School	ND	ND	ND	ND	ND	ND
	Minamiaizu	Minamiaizu Town Hisawa	6/23	7/7	6/23	7/7	6/23	7/7
	Town	Elementary School	ND	ND	ND	ND	ND	ND
	Minamiaizu	Minamiaizu Town Arakai	6/23	7/7	6/23	7/7	6/23	7/7
	Town	Elementary School	ND 0./00	ND	ND 0./00	ND	ND 0./00	ND
	Minamiaizu	Minamiaizu Town Nangodaiichi	6/23	7/7	6/23	7/7	6/23	7/7
	Town Minamiaizu	Elementary School Minamiaizu Town Tazima	ND 6/23	ND 7/7	ND 6/23	ND 7/7	ND 6/23	ND 7/7
Minami	Town	Elementary School	6/23 ND	ND	6/23 ND	ND	6/23 ND	ND
-aizu	Minamiaizu	Minamiaizu Town Tateiwa	6/23	7/7	6/23	7/7	6/23	7/7
	Town	Junior High School	6/23 ND	ND	0/23 ND	ND	0/23 ND	ND
	Minamiaizu	Minamiaizu Town Nangodaiichi	6/23	7/7	6/23	7/7	6/23	7/7
	Town	Junior High School	ND	ND	ND	ND	ND	ND
	Minamiaizu	Ina Swimming Pool for	6/27	7/7	6/27	7/7	6/27	7/7
	Town	Townspeople	ND	ND	ND	ND	ND	ND
	Minamiaizu	Tateiwa Swimming Pool for	6/27	7/7	6/27	7/7	6/27	7/7
	Town	Townspeople	ND	ND	ND	ND	ND	ND
	Minamiaizu	Nangou Swimming Pool for	6/28	7/7	6/28	7/7	6/28	7/7
	Town	Townspeople	ND	ND	ND	ND	ND	ND
	Minamiaizu	Biwanokage Swimming Pool	6/28	7/7	6/28	7/7	6/28	7/7
	Town	9	ND	ND	ND	ND	ND	ND
	Soma City	Soma municipal swimming		7/8	/	7/8		7/8
Sousou		pool general Soma municipal swimming pool		ND 7/0		ND 7/0		ND 7 (0
	Soma City	· infants	/	7/8		7/8		7/8
	Detectable	LTD: Less than detectable		ND		ND		1.06

ND:Not Detectable LTD:Less than detectable Data that was published in this round