

Readings of Environmental Radiation Monitoring (at Tourist Spots) in Fukushima Prefecture
(Preliminary Report)

July 25, 2011

Local Nuclear Emergency Response Headquarters (Radioactivity Team)
Disaster Provision Main Office of Fukushima Pref. (Nuclear Power Team)

1 Date

Friday, July 15 – Friday, July 29, 2011

2 Targets

Number of tourist spots monitored	Number for this report (Those monitored on Jul. 21)
242	34

3 Monitoring Results (preliminary report)

The results of the monitoring show that there is no tourist spot for which the air dose rate measured at the facility entrance exceeded the government's provisional standard value for school yards and gardens, etc.: (3.8 μ Sv/h).

Units: μ Sv/h

Tourist spot division		Maximum (Name of facilities, etc.) (Those monitored on Jul. 21)	Minimum (Name of facilities, etc.) (Those monitored on Jul. 21)
Tourist facility/Road station	Parking Area	1.5 Nihonmatsu City / Woody House Towa – Ground south side parking area,	0.09 Nishi-aizu Town / Ooyamazumi jinjya - parking area
	Near the building entrance (outdoors)	1.4 Nihonmatsu City / Woody House Towa - Woody House Towa	0.09 Inawashiro Town / Sekai no glass kan / Inawashiro okashi kan front entrance, Yamatsuri Town / Yuupal Yamatsuri entrance hall
Mountain/Natural spot	Parking Area	1.6 Nihonmatsu City / Obama jyoushi koen - parking area	0.11 Inawashiro Town / Shida hama swimming area – High speed boat boarding area

			hama swimming area – pleasure boat boarding area mae parking area
	Entrance to mountain trail, etc	1.3 Nihonmatsu City / Obama jyoushi koen - Obama jyoushi koen entrance stairway basement	0.09 Inawashiro Town / Minimigaoka farm lodge (restaurant/shops) entrance
Hot springs resort/town	Road surface, etc.	0.15 Showa Village / Showa onsen Shirakaba sou – Showa onsen Shirakaba so entrance	0.12 Showa Village / Showa onsen Shirakaba so – parking area

※Monitoring result for July 21 (preliminary result)

	Monitored on July 15	Monitored on July 19	Monitored on July 20	Monitored on July 21	Total
No. of tourist spots with a level of 3.8 μ Sv/h or more	0	0	0	0	0
No. of tourist spots with a level less than 3.8 μ Sv/h	23	26	27	34	110
Total	23	26	27	34	110

Readings of Environmental Radiation Monitoring at Tourist Spots (Tourist facility/Mountains/Nature spot/Road Station)

Municipality	Category	Name of Tourist Spot	Name of monitoring locations	Monitored height	Monitored air dose rate (μSv/h)						Remarks	
					Average value of five locations (four corners and center)					Average value		Building entrance (Outside)/ Entrance to mountain trail, etc.
					① Center	②	③	④	⑤			
Nihonmatsu City	Tourist facility	Chieko Kinenkan	Parking area	50cm	0.83	1.2	0.91	0.81	0.89	0.93	/	
				1m	0.74	1.3	0.88	0.74	0.83	0.90	/	
			Chieko kinenkan	50cm	/	/	/	/	/	/	0.67	
				1m	/	/	/	/	/	/	0.62	
			Chieko kinenkan (House of birth)	50cm	/	/	/	/	/	/	0.97	
				1m	/	/	/	/	/	/	0.84	
Nihonmatsu City	Tourist facility	Woody house towa	Parking area, behind gymnasium	50cm	1.3	1.1	1.5	1.2	1.6	1.3	/	
				1m	1.2	1.2	1.4	1.2	1.5	1.3	/	
			Woody house towa	50cm	/	/	/	/	/	/	1.4	
				1m	/	/	/	/	/	/	1.3	
			Parking area, west side of tennis court	50cm	1.3	1.5	1.4	1.4	1.4	1.4	/	
				1m	1.3	1.5	1.4	1.3	1.4	1.4	/	
			Parking area, south side of field	50cm	1.6	1.2	1.2	1.7	1.6	1.5	/	
				1m	1.4	1.2	1.3	1.7	1.8	1.5	/	
Nihonmatsu City	Tourist facility	Sakura no sato	Parking area	50cm	0.85	0.96	0.78	1.4	0.92	0.98	/	
				1m	0.80	0.88	0.75	1.4	0.85	0.94	/	
			Sakura no sato	50cm	/	/	/	/	/	/	0.65	
				1m	/	/	/	/	/	/	0.57	
Nihonmatsu City	Nature spot	Sugisawa no oosugi	Parking area	50cm	0.71	0.83	0.87	0.76	0.87	0.81	/	
				1m	0.68	0.87	0.81	0.73	0.80	0.78	/	
			Sugisawa no oosugi walking path entrance	50cm	/	/	/	/	/	/	1.0	
				1m	/	/	/	/	/	/	0.79	
			Rest area	50cm	/	/	/	/	/	/	0.55	
				1m	/	/	/	/	/	/	0.58	
Nihonmatsu City	Nature spot	Chieko no mori koen	Miharashi no hiroba	50cm	1.1	1.2	1.2	1.3	1.2	1.2	/	
				1m	1.0	1.2	1.3	1.2	1.1	1.2	/	
			Ai no komichi, north side entrance	50cm	/	/	/	/	/	/	1.1	
				1m	/	/	/	/	/	/	1.1	
			Fureai no hiroba	50cm	1.4	1.3	1.6	1.4	1.5	1.4	/	
				1m	1.3	1.2	1.5	1.3	1.5	1.4	/	
			Ai no komichi, south side entrance	50cm	/	/	/	/	/	/	1.1	
				1m	/	/	/	/	/	/	1.0	
Nihonmatsu City	Nature spot	Obama jyoushi koen	Parking area	50cm	1.4	1.5	1.6	1.6	1.8	1.6	/	
				1m	1.4	1.4	1.5	1.6	1.7	1.5	/	
			Obama jyoushi koen entrance stairway basement	50cm	/	/	/	/	/	/	1.3	
				1m	/	/	/	/	/	/	1.2	
Nihonmatsu City	Road station	Road station "Fukushima towa"	Parking area (East side)	50cm	0.88	0.94	1.2	1.2	1.0	1.0	/	
				1m	0.93	0.89	1.2	1.2	1.0	1.0	/	
			Road station Fukushima towa	50cm	/	/	/	/	/	/	0.85	
				1m	/	/	/	/	/	/	0.87	
			Parking area (West side)	50cm	0.96	0.90	0.85	1.1	1.2	1.0	/	
				1m	0.89	0.88	0.81	1.0	1.1	0.94	/	
			Road station shop	50cm	/	/	/	/	/	/	1.1	
				1m	/	/	/	/	/	/	0.89	
			Ice cream stand	50cm	/	/	/	/	/	/	0.99	
				1m	/	/	/	/	/	/	0.90	

Readings of Environmental Radiation Monitoring at Tourist Spots (Tourist facility/Mountains/Nature spot/Road Station)

Municipality	Category	Name of Tourist Spot	Name of monitoring locations	Monitored height	Monitored air dose rate (μSv/h)						Remarks	
					Average value of five locations (four corners and center)					Average value		Building entrance (Outside)/ Entrance to mountain trail, etc.
					① Center	②	③	④	⑤			
Sukagawa City	Tourist facility	Mushitech world	No. 1 parking area	50cm	0.28	0.29	0.23	0.25	0.25	0.26	/	
				1m	0.28	0.26	0.25	0.22	0.24	0.25	/	
			No. 2 parking area	50cm	0.37	0.58	0.34	0.40	0.29	0.40	/	
				1m	0.32	0.51	0.31	0.36	0.24	0.35	/	
			Slope	50cm	0.30	0.33	0.38	0.28	0.36	0.33	/	
				1m	0.28	0.27	0.35	0.27	0.33	0.30	/	
			Mushitech world front entrance	50cm	/	/	/	/	/	/	0.18	
				1m	/	/	/	/	/	/	0.17	
			Mushitech world rear entrance	50cm	/	/	/	/	/	/	0.21	
				1m	/	/	/	/	/	/	0.21	
			Eco house entrance	50cm	/	/	/	/	/	/	0.21	
				1m	/	/	/	/	/	/	0.21	
Tamura City	Tourist facility	Hoshi no mura observatory	South side parking area	50cm	0.31	0.31	0.29	0.27	0.30	0.30	/	
				1m	0.30	0.30	0.28	0.27	0.28	0.29	/	
			Main hall entrance mae	50cm	/	/	/	/	/	/	0.28	
				1m	/	/	/	/	/	/	0.25	
			Observatory entrance	50cm	/	/	/	/	/	/	0.27	
				1m	/	/	/	/	/	/	0.23	
			Hoshi no mura observatory entrance parking area	50cm	0.32	0.30	0.28	0.30	0.31	0.30	/	
				1m	0.29	0.28	0.25	0.30	0.29	0.28	/	
			Monument (Hoshi no mura opening declaration)	50cm	/	/	/	/	/	/	0.24	
				1m	/	/	/	/	/	/	0.23	
			Hoshi nomura walking path	50cm	/	/	/	/	/	/	0.27	
				1m	/	/	/	/	/	/	0.26	
Tamura City	Nature spot	Abukuma dou - Irimizu shounyudou	Abukuma dou bus parking area	50cm	0.24	0.22	0.21	0.22	0.20	0.22	/	
				1m	0.21	0.20	0.19	0.20	0.20	0.20	/	
			Abukuma dou tenboudai	50cm	/	/	/	/	/	/	0.23	
				1m	/	/	/	/	/	/	0.21	
			Abukuma dou entrance	50cm	/	/	/	/	/	/	0.21	
				1m	/	/	/	/	/	/	0.21	
			Abukuma dou No.2 parking area	50cm	0.26	0.28	0.29	0.28	0.25	0.27	/	
				1m	0.23	0.26	0.27	0.24	0.22	0.24	/	
			Takine Town tenchi jin kan	50cm	/	/	/	/	/	/	0.23	
				1m	/	/	/	/	/	/	0.22	
			Abukuma dou administration office mae	50cm	/	/	/	/	/	/	0.20	
				1m	/	/	/	/	/	/	0.18	
			Monument (Ichiban boshi mitsuketa)	50cm	/	/	/	/	/	/	0.24	
				1m	/	/	/	/	/	/	0.23	
			Abukuma chouboudai	50cm	/	/	/	/	/	/	0.23	
				1m	/	/	/	/	/	/	0.19	
			Irimizu shounyudou parking area	50cm	0.27	0.24	0.23	0.27	0.25	0.25	/	
				1m	0.25	0.23	0.23	0.25	0.23	0.24	/	
			Irimizu shounyudou entrance/exit	50cm	/	/	/	/	/	/	0.22	
				1m	/	/	/	/	/	/	0.20	
Irimizu shounyudou large parking area	50cm	0.22	0.21	0.21	0.23	0.21	0.22	/				
	1m	0.22	0.21	0.22	0.22	0.21	0.22	/				

Readings of Environmental Radiation Monitoring at Tourist Spots (Tourist facility/Mountains/Nature spot/Road Station)

Municipality	Category	Name of Tourist Spot	Name of monitoring locations	Monitored height	Monitored air dose rate (μSv/h)						Remarks	
					Average value of five locations (four corners and center)					Average value		Building entrance (Outside)/ Entrance to mountain trail, etc.
					① Center	②	③	④	⑤			
Tamakawa Village	Nature spot	Otsujiga taki	Otsujiga taki parking area	50cm	0.23	0.21	0.20	0.22	0.26	0.22	/	
				1m	0.23	0.21	0.18	0.20	0.22	0.21	/	
			Walking path entrance	50cm	/	/	/	/	/	/	0.25	
				1m	/	/	/	/	/	/	0.23	
			Walking path exit	50cm	/	/	/	/	/	/	0.21	
				1m	/	/	/	/	/	/	0.20	
			Takimi fudouson mae	50cm	/	/	/	/	/	/	0.21	
				1m	/	/	/	/	/	/	0.17	
Tamakawa Village	Road station	Road station "Tamakawa"	Parking area	50cm	0.27	0.27	0.21	0.21	0.28	0.25	/	
				1m	0.22	0.24	0.19	0.20	0.23	0.22	/	
			Kobushi no sato	50cm	/	/	/	/	/	/	0.23	
				1m	/	/	/	/	/	/	0.21	
			Soba shop entrance	50cm	/	/	/	/	/	/	0.28	
				1m	/	/	/	/	/	/	0.26	
			Soba shop back entrance	50cm	/	/	/	/	/	/	0.24	
				1m	/	/	/	/	/	/	0.21	
Tanagura Town	Tourist facility	Yamamoto Fudouson	Free parking area	50cm	0.40	0.39	0.39	0.42	0.35	0.39	/	
				1m	0.38	0.37	0.37	0.41	0.33	0.37	/	
			Free large parking area	50cm	0.42	0.48	0.42	0.43	0.43	0.44	/	
				1m	0.41	0.47	0.42	0.43	0.42	0.43	/	
			Oku no in	50cm	/	/	/	/	/	/	0.24	
				1m	/	/	/	/	/	/	0.25	
			Goma den	50cm	/	/	/	/	/	/	0.57	
				1m	/	/	/	/	/	/	0.48	
Tanagura Town	Tourist facility	Renaissance Tanagura	General parking area	50cm	0.31	0.31	0.28	0.41	0.30	0.32	/	
				1m	0.30	0.30	0.27	0.38	0.31	0.31	/	
			Large vehicles parking area	50cm	0.34	0.36	0.37	0.36	0.33	0.35	/	
				1m	0.35	0.34	0.36	0.36	0.33	0.35	/	
			Clubhouse entrance	50cm	/	/	/	/	/	/	0.30	
				1m	/	/	/	/	/	/	0.29	
Yamatsuri Town	Tourist facility	Yuupal Yamatsuri	Entrance hall mae parking area	50cm	0.14	0.13	0.12	0.13	0.13	0.13	/	
				1m	0.14	0.13	0.12	0.12	0.13	0.13	/	
			General parking area	50cm	0.13	0.14	0.14	0.13	0.12	0.13	/	
				1m	0.13	0.13	0.14	0.13	0.13	0.13	/	
			Yuupal Yamatsuri entrance hall entrance	50cm	/	/	/	/	/	/	0.09	
				1m	/	/	/	/	/	/	0.10	
Nishi-aizu Town	Tourist facility	Ooyamazumi jinjya	Parking area	50cm	0.09	0.09	0.10	0.11	0.11	0.10	/	
				1m	0.09	0.09	0.10	0.10	0.09	0.09	/	
			Main office entrance	50cm	/	/	/	/	/	/	0.11	
				1m	/	/	/	/	/	/	0.10	
			Okubo youhaiden entrance	50cm	/	/	/	/	/	/	0.10	
				1m	/	/	/	/	/	/	0.11	
Nishi-aizu Town	Tourist facility	Lotos inn	Parking area	50cm	0.12	0.12	0.13	0.11	0.12	0.12	/	
				1m	0.12	0.12	0.12	0.12	0.12	0.12	/	
			Lotos inn entrance	50cm	/	/	/	/	/	/	0.12	
				1m	/	/	/	/	/	/	0.12	

Readings of Environmental Radiation Monitoring at Tourist Spots (Tourist facility/Mountains/Nature spot/Road Station)

Municipality	Category	Name of Tourist Spot	Name of monitoring locations	Monitored height 50cm or 1m	Monitored air dose rate (μSv/h)						Remarks	
					Average value of five locations (four corners and center)					Average value		Building entrance (Outside)/ Entrance to mountain trail, etc.
					① Center	②	③	④	⑤			
Nishi-aizu Town	Road station	Road station "Nishi-aizu"	Parking area	50cm	0.11	0.10	0.11	0.12	0.11	0.11	/	
				1m	0.11	0.10	0.11	0.12	0.11	0.11	/	
			Road station "Nishi-aizu" entrance	50cm	/	/	/	/	/	/	0.11	
				1m	/	/	/	/	/	/	0.11	
			Information station entrance	50cm	/	/	/	/	/	/	0.10	
				1m	/	/	/	/	/	/	0.11	
Sawayaka toilet entrance	50cm	/	/	/	/	/	/	0.11				
	1m	/	/	/	/	/	/	0.10				
Bandai Town	Tourist facility	Bandai-san Enichiji shiryo-kan, shiseki Enichiji ato kondo/chumon	Bandai-san Enichiji shiryo-kan entrance	50cm	/	/	/	/	/	/	0.11	
				1m	/	/	/	/	/	/	0.12	
			Bandai-san Enichiji shiryo-kan No.1 parking area	50cm	0.19	0.20	0.15	0.18	0.19	0.18	/	
				1m	0.18	0.20	0.15	0.21	0.18	0.18	/	
			Bandai-san Enichiji shiryo-kan No.2 parking area	50cm	0.16	0.18	0.18	0.22	0.20	0.19	/	
				1m	0.15	0.20	0.16	0.20	0.18	0.18	/	
			Shiseki Enichiji ato kondo chumon guidance entrance	50cm	/	/	/	/	/	/	0.24	
				1m	/	/	/	/	/	/	0.25	
			Shiseki Enichiji ato kondo chumon entrance	50cm	/	/	/	/	/	/	0.28	
				1m	/	/	/	/	/	/	0.26	
			Shiseki Enichiji ato kondo entrance	50cm	/	/	/	/	/	/	0.25	
				1m	/	/	/	/	/	/	0.22	
Bandai Town	Tourist facility	Spa alts ooruri	Spa alts ooruri entrance	50cm	/	/	/	/	/	/	0.16	
				1m	/	/	/	/	/	/	0.16	
			Parking area	50cm	0.29	0.22	0.23	0.36	0.25	0.27	/	
				1m	0.29	0.23	0.25	0.30	0.23	0.26	/	
Bandai Town	Tourist facility	Mellow wood golf club	Club house entrance	50cm	/	/	/	/	/	/	0.14	
				1m	/	/	/	/	/	/	0.14	
			Parking area	50cm	0.29	0.26	0.20	0.19	0.30	0.25	/	
				1m	0.28	0.25	0.20	0.19	0.28	0.24	/	
Bandai Town	Nature spot	Bandai furusatop no mori koen	Tenboudai walking path entrance (North side)	50cm	/	/	/	/	/	/	0.32	
				1m	/	/	/	/	/	/	0.30	
			No.1 parking area	50cm	0.18	0.23	0.26	0.22	0.27	0.23	/	
				1m	0.19	0.24	0.25	0.21	0.28	0.23	No.2 parking area is currently closed	
			Athletic koen walking path entrance	50cm	/	/	/	/	/	/	0.33	
				1m	/	/	/	/	/	/	0.31	
			No.3 parking area	50cm	0.17	0.19	0.20	0.20	0.25	0.20	/	
				1m	0.16	0.19	0.21	0.19	0.25	0.20	/	
			No.4 parking area	50cm	0.19	0.23	0.26	0.22	0.23	0.23	/	
				1m	0.19	0.23	0.26	0.21	0.23	0.22	/	
			Tenboudai walking path entrance (South side)	50cm	/	/	/	/	/	/	0.22	
				1m	/	/	/	/	/	/	0.20	
No.5 parking area	50cm	0.16	0.18	0.18	0.17	0.17	0.17	/				
	1m	0.16	0.17	0.18	0.17	0.17	0.17	/				

Readings of Environmental Radiation Monitoring at Tourist Spots (Tourist facility/Mountains/Nature spot/Road Station)

Municipality	Category	Name of Tourist Spot	Name of monitoring locations	Monitored height	Monitored air dose rate (μSv/h)						Remarks	
					Average value of five locations (four corners and center)					Average value		Building entrance (Outside)/ Entrance to mountain trail, etc.
					① Center	②	③	④	⑤			
Bandai Town	Road station	Road station "Bandai"	North side No.1 parking area	50cm	0.19	0.23	0.20	0.20	0.23	0.21	/	
				1m	0.19	0.25	0.20	0.20	0.23	0.21	/	
			Road station "Bandai" entrance	50cm	/	/	/	/	/	/	0.17	
				1m	/	/	/	/	/	/	0.16	
			North side No.2 parking area	50cm	0.18	0.19	0.18	0.16	0.17	0.18	/	
				1m	0.21	0.18	0.19	0.16	0.18	0.18	/	
			Road station "Bandai" south side entrance	50cm	/	/	/	/	/	/	0.15	
				1m	/	/	/	/	/	/	0.14	
			Region revitalization center entrance	50cm	/	/	/	/	/	/	0.14	
				1m	/	/	/	/	/	/	0.15	
			South side parking area	50cm	0.15	0.17	0.16	0.16	0.19	0.17	/	
				1m	0.15	0.16	0.17	0.13	0.16	0.15	/	
Inawashiro Town	Tourist facility	Tenkyokaku	Front gate entrance	50cm	/	/	/	/	/	/	0.15	
				1m	/	/	/	/	/	/	0.14	
			Large vehicle parking area	50cm	0.14	0.15	0.14	0.13	0.19	0.15	/	
				1m	0.14	0.15	0.13	0.13	0.19	0.15	/	
			Small vehicle parking area	50cm	0.14	0.15	0.12	0.13	0.20	0.15	/	
				1m	0.12	0.15	0.12	0.12	0.21	0.14	/	
			main building entrance	50cm	/	/	/	/	/	/	0.16	
				1m	/	/	/	/	/	/	0.15	
			Annex building entrance	50cm	/	/	/	/	/	/	0.16	
				1m	/	/	/	/	/	/	0.15	
			Baiten mae	50cm	/	/	/	/	/	/	0.17	
				1m	/	/	/	/	/	/	0.16	
Inawashiro Town	Tourist facility	Sekai no glass kan	Sekai no glass kan front entrance	50cm	/	/	/	/	/	/	0.11	
				1m	/	/	/	/	/	/	0.11	
			Sekai no glass kan mae large parking area	50cm	0.14	0.12	0.12	0.12	0.14	0.13	/	
				1m	0.13	0.12	0.12	0.12	0.13	0.12	/	
			Sekai no glass kan west side entrance	50cm	/	/	/	/	/	/	0.12	
				1m	/	/	/	/	/	/	0.11	
			Sekai no glass kan No.2 parking area	50cm	0.12	0.15	0.14	0.12	0.11	0.13	/	
				1m	0.11	0.15	0.14	0.12	0.10	0.12	/	
			Orgel kan entrance	50cm	/	/	/	/	/	/	0.12	
				1m	/	/	/	/	/	/	0.12	
			Inawashiro dango kan entrance	50cm	/	/	/	/	/	/	0.12	
				1m	/	/	/	/	/	/	0.11	
			Kenko shokuhin kan entrance	50cm	/	/	/	/	/	/	0.11	
				1m	/	/	/	/	/	/	0.10	
			Inawashiro okashi kan front entrance	50cm	/	/	/	/	/	/	0.09	
				1m	/	/	/	/	/	/	0.09	
			Inawashiro okashi kan south entrance	50cm	/	/	/	/	/	/	0.13	
				1m	/	/	/	/	/	/	0.15	
Inawashiro jibiiru kan entrance	50cm	/	/	/	/	/	/	0.11				
	1m	/	/	/	/	/	/	0.11				

Readings of Environmental Radiation Monitoring at Tourist Spots (Tourist facility/Mountains/Nature spot/Road Station)

Municipality	Category	Name of Tourist Spot	Name of monitoring locations	Monitored height	Monitored air dose rate (μSv/h)					Building entrance (Outside)/ Entrance to mountain trail, etc.	Remarks	
					Average value of five locations (four corners and center)							Average value
					① Center	②	③	④	⑤			
Inawashiro Town	Nature spot	Minamigaoka farm	Lodge (restaurant/shop) entrance	50cm	/	/	/	/	/	/	0.09	
				1m	/	/	/	/	/	/	0.10	
			No.1 parking area	50cm	0.11	0.17	0.14	0.16	0.15	0.15	/	
				1m	0.11	0.16	0.13	0.15	0.14	0.14	/	
			No.2 parking area	50cm	0.13	0.15	0.14	0.16	0.19	0.15	/	
				1m	0.13	0.15	0.13	0.17	0.19	0.15	/	
			Walking path entrance	50cm	/	/	/	/	/	/	0.16	
				1m	/	/	/	/	/	/	0.15	
			No.3 parking area	50cm	0.17	0.26	0.18	0.21	0.18	0.20	/	
				1m	0.16	0.23	0.17	0.19	0.18	0.19	/	
Inawashiro Town	Nature spot	Shida hama swimming area	Pleasure boat boarding area entrance	50cm	/	/	/	/	/	/	0.11	
				1m	/	/	/	/	/	/	0.10	
			Pleasure boat boarding area mae parking area	50cm	0.11	0.14	0.15	0.12	0.12	0.13	/	
				1m	0.11	0.15	0.15	0.12	0.13	0.13	/	
			High speed boat boarding area entrance	50cm	/	/	/	/	/	/	0.11	
				1m	/	/	/	/	/	/	0.12	
			High speed boat boarding area mae parking area	50cm	0.10	0.10	0.11	0.12	0.12	0.11	/	
				1m	0.10	0.12	0.11	0.12	0.11	0.11	/	
			Auto camping area entrance	50cm	/	/	/	/	/	/	0.14	
				1m	/	/	/	/	/	/	0.14	
Inawashiro Town	Nature spot	Nagahama swimming area	Nagahama swimming area beach entrance	50cm	/	/	/	/	/	/	0.20	
				1m	/	/	/	/	/	/	0.18	
			Nagahama swimming area parking area	50cm	0.11	0.14	0.11	0.14	0.11	0.12	/	
				1m	0.11	0.15	0.11	0.14	0.11	0.12	/	
			Pleasure boat boarding area entrance	50cm	/	/	/	/	/	/	0.11	
				1m	/	/	/	/	/	/	0.11	
			Pleasure boat boarding area mae parking area	50cm	0.11	0.11	0.11	0.12	0.12	0.11	/	
				1m	0.11	0.11	0.11	0.12	0.12	0.11	/	
Inawashiro Town	Nature spot	Tenjin hama swimming area	Tenjin hama swimming area entrance	50cm	/	/	/	/	/	/	0.15	
				1m	/	/	/	/	/	/	0.13	
			Tenjin hama parking area	50cm	0.12	0.16	0.13	0.12	0.13	0.13	/	
				1m	0.12	0.15	0.13	0.11	0.14	0.13	/	
			Kobiragata tenmangu torii mae	50cm	/	/	/	/	/	/	0.15	
				1m	/	/	/	/	/	/	0.14	

Readings of Environmental Radiation Monitoring at Tourist Spots (Tourist facility/Mountains/Nature spot/Road Station)

Municipality	Category	Name of Tourist Spot	Name of monitoring locations	Monitored height	Monitored air dose rate (μSv/h)							Remarks	
					Average value of five locations (four corners and center)					Average value	Building entrance (Outside)/ Entrance to mountain trail, etc.		
					① Center	②	③	④	⑤				
Showa Village	Nature spot	Oku aizu showa no mori camping area	Parking area	50cm	/	/	/	/	/	/	/	0.17	Measured at 1 location only
				1m	/	/	/	/	/	/	/	0.16	
			No.1 walking path	50cm	/	/	/	/	/	/	/	0.13	
				1m	/	/	/	/	/	/	/	0.13	
			No.2 walking path	50cm	/	/	/	/	/	/	/	0.18	
				1m	/	/	/	/	/	/	/	0.17	
			No.3 walking path	50cm	/	/	/	/	/	/	/	0.20	
				1m	/	/	/	/	/	/	/	0.20	
			Bungalow village	50cm	/	/	/	/	/	/	/	0.15	
				1m	/	/	/	/	/	/	/	0.15	
			Multiple purpose square (gateball field)	50cm	/	/	/	/	/	/	/	0.19	
				1m	/	/	/	/	/	/	/	0.19	
			Jiyu no hiroba	50cm	/	/	/	/	/	/	/	0.18	
				1m	/	/	/	/	/	/	/	0.18	
Kevin village	50cm	/	/	/	/	/	/	/	0.15				
	1m	/	/	/	/	/	/	/	0.14				
Showa Village	Nature spot	Komado wetland	Showa village side wetland entrance mae parking area	50cm	0.12	0.12	0.14	0.18	0.12	0.14	/		
				1m	0.12	0.12	0.13	0.17	0.12	0.13	/		
			Showa village side wetland entrance	50cm	/	/	/	/	/	/	/	0.12	
				1m	/	/	/	/	/	/	/	0.12	
Iwaki City	Tourist facility	Yumoto spring country club	Clubhouse entrance	50cm	/	/	/	/	/	/	0.20		
				1m	/	/	/	/	/	/	0.19		
			Parking area	50cm	0.25	0.23	0.21	0.30	0.22	0.24	/		
				1m	0.23	0.20	0.20	0.27	0.21	0.22	/		
Iwaki City	Tourist facility	Itsuura teien country club	Clubhouse entrance	50cm	/	/	/	/	/	/	0.23		
				1m	/	/	/	/	/	/	0.22		
			Parking area	50cm	0.28	0.29	0.27	0.25	0.24	0.27	/		
				1m	0.25	0.26	0.23	0.23	0.22	0.24	/		

Readings of Environmental Radiation Monitoring at Tourist Spots (Hot Springs Resort/Town)

Municipality	Category	Name of Tourist Spot, etc.	Name of monitoring locations	Monitored air dose rate ($\mu\text{Sv/h}$)		Remarks
				Monitored height 50cm	Monitored height 1m	
Showa Village	Hot Springs Resort	Showa onsen shirakaba sou	Parking area	0.12	0.12	Average value of 5 locations
			Showa onsen shirakaba so entrance	0.15	0.13	