

研究開発等に係る遺伝子組換え生物等の第二種使用等に当たって執るべき拡散防止措置等を定める省令の規定に基づき認定宿主ベクター系等を定める件（平成16年文部科学省告示第7号）新旧対照表

改正後	改正前																				
<u>（核酸供与体が第三条の表各号の下欄に掲げるもの以外のもの又はクラス4である遺伝子組換え生物等）</u> <u>第四条</u> 省令別表第一第一号イ及びロの文部科学大臣が定める遺伝子組換え生物等は、Baculovirusが宿主である場合とする。 （自立的な増殖力及び感染力を保持したウイルス及びウイロイド） <u>第五条</u> 省令別表第一第二号ニの文部科学大臣が定めるウイルス及びウイロイドは、別表第三に掲げるとおりとする。 別表第2（第2条関係） <table><tr><th>区分</th><th>微生物等</th></tr><tr><td rowspan="5">1 省令 第三条 の表第 一号の 文部科 学大臣 が定め る微生 物等</td><td>(1) [略]</td></tr><tr><td>(2) [略]</td></tr><tr><td>(3) [略]</td></tr><tr><td>(4) [略]</td></tr><tr><td>(5) [略]</td></tr><tr><td>2 省令</td><td>(1) 原核生物のうち、次に掲げるもの（科</td></tr></table>	区分	微生物等	1 省令 第三条 の表第 一号の 文部科 学大臣 が定め る微生 物等	(1) [略]	(2) [略]	(3) [略]	(4) [略]	(5) [略]	2 省令	(1) 原核生物のうち、次に掲げるもの（科	[条を加える。] （自立的な増殖力及び感染力を保持したウイルス及びウイロイド） <u>第四条</u> 省令別表第一第一号への文部科学大臣が定めるウイルス及びウイロイドは、別表第三に掲げるとおりとする。 別表第2（第2条関係） <table><tr><th>区分</th><th>微生物等</th></tr><tr><td rowspan="5">1 省令 第三条 の表第 一号の 文部科 学大臣 が定め る微生 物等</td><td>(1) [同上]</td></tr><tr><td>(2) [同上]</td></tr><tr><td>(3) [同上]</td></tr><tr><td>(4) [同上]</td></tr><tr><td>(5) [同上]</td></tr><tr><td>2 省令</td><td>(1) 原核生物のうち、次に掲げるもの（科</td></tr></table>	区分	微生物等	1 省令 第三条 の表第 一号の 文部科 学大臣 が定め る微生 物等	(1) [同上]	(2) [同上]	(3) [同上]	(4) [同上]	(5) [同上]	2 省令	(1) 原核生物のうち、次に掲げるもの（科
区分	微生物等																				
1 省令 第三条 の表第 一号の 文部科 学大臣 が定め る微生 物等	(1) [略]																				
	(2) [略]																				
	(3) [略]																				
	(4) [略]																				
	(5) [略]																				
2 省令	(1) 原核生物のうち、次に掲げるもの（科																				
区分	微生物等																				
1 省令 第三条 の表第 一号の 文部科 学大臣 が定め る微生 物等	(1) [同上]																				
	(2) [同上]																				
	(3) [同上]																				
	(4) [同上]																				
	(5) [同上]																				
2 省令	(1) 原核生物のうち、次に掲げるもの（科																				

第三条
の表第
二号の
文部科
学大臣
が定め
る微生
物等

学的知見により哺乳動物等に対する病原
性がないとされているものを除く。)

Acinetobacter baumannii
Acinetobacter calcoaceticus
Actinobacillus capsulatus
Actinobacillus equuli
Actinobacillus lignieresii
Actinobacillus pleuropneu-
moniae
Actinobacillus suis
Actinobacillus ureae

Actinomadura madurae
Actinomadura pelletieri
Actinomyces bovis
Actinomyces israelii
Actinomyces viscosus
Aeromonas hydrophila
Aeromonas sobria
Aeromonas veronii
Aggregatibacter actinomycetem-
comitans
Anaplasma bovis
Anaplasma marginale
Anaplasma ovis
Anaplasma phagocytophilum
Arcanobacterium haemolyticum
Avibacterium paragallinarum (別
名 *Haemophilus paragallinarum*)
Bacillus anthracis (34F2株及び
Davis株に限る。)
Bacillus cereus
Bacteroides fragilis
Bartonella alsatica
Bartonella bacilliformis

第三条
の表第
二号の
文部科
学大臣
が定め
る微生
物等

学的知見により哺乳動物等に対する病原
性がないとされているものを除く。)

Acinetobacter baumannii
Acinetobacter calcoaceticus
Actinobacillus capsulatus
Actinobacillus equuli
Actinobacillus lignieresii
Actinobacillus pleuropneu-
moniae
Actinobacillus suis
Actinobacillus ureae (旧分類名
Pasteurella ureae)

Actinomadura madurae
Actinomadura pelletieri
Actinomyces bovis
Actinomyces israelii
Actinomyces viscosus
Aeromonas hydrophila
Aeromonas sobria
Aeromonas veronii
Aggregatibacter actinomycetem-
comitans
Anaplasma bovis
Anaplasma marginale
Anaplasma ovis
Anaplasma phagocytophilum
Arcanobacterium haemolyticum
Avibacterium paragallinarum (別
名 *Haemophilus paragallinarum*)
Bacillus anthracis (34F2株及び
Davis株に限る。)
Bacillus cereus
Bacteroides fragilis
Bartonella alsatica
Bartonella bacilliformis

	<i>Bartonella birtlesii</i> <i>Bartonella bovis</i> <i>Bartonella capreoli</i> <i>Bartonella clarridgeiae</i> <i>Bartonella doshiae</i> <i>Bartonella elizabethae</i> <i>Bartonella grahamii</i> <i>Bartonella henselae</i> <i>Bartonella koehlerae</i> <i>Bartonella quintana</i> <i>Bartonella schoenbuchensis</i> <i>Bartonella taylorii</i> <i>Bartonella tribocorum</i> <i>Bartonella vinsonii</i> <u><i>Bibersteinia trehalosi</i></u> <i>Bordetella avium</i> <i>Bordetella bronchiseptica</i> <i>Bordetella holmesii</i> <i>Bordetella parapertussis</i> <i>Bordetella pertussis</i> <i>Borrelia</i> 属全種 <i>Brachyspira hyodysenteriae</i> (別名 <i>Serpulina hyodysenteriae</i>) <i>Brachyspira innocens</i> <i>Brachyspira pilosicoli</i> <i>Burkholderia cepacia</i> <i>Campylobacter coli</i> <i>Campylobacter fetus</i> <i>Campylobacter jejuni</i> <i>Capnocytophaga canimorsus</i> <i>Capnocytophaga cynodegmi</i> <i>Capnocytophaga gingivalis</i> <i>Capnocytophaga granulosa</i> <i>Capnocytophaga haemolytica</i>	
	<i>Bartonella birtlesii</i> <i>Bartonella bovis</i> <i>Bartonella capreoli</i> <i>Bartonella clarridgeiae</i> <i>Bartonella doshiae</i> <i>Bartonella elizabethae</i> <i>Bartonella grahamii</i> <i>Bartonella henselae</i> <i>Bartonella koehlerae</i> <i>Bartonella quintana</i> <i>Bartonella schoenbuchensis</i> <i>Bartonella taylorii</i> <i>Bartonella tribocorum</i> <i>Bartonella vinsonii</i> <u><i>Bibersteinia trehalosi</i> (旧分類名 <i>Pasteurella trehalosi</i>)</u> <i>Bordetella avium</i> <i>Bordetella bronchiseptica</i> <i>Bordetella holmesii</i> <i>Bordetella parapertussis</i> <i>Bordetella pertussis</i> <i>Borrelia</i> 属全種 <i>Brachyspira hyodysenteriae</i> (別名 <i>Serpulina hyodysenteriae</i>) <i>Brachyspira innocens</i> <i>Brachyspira pilosicoli</i> <i>Burkholderia cepacia</i> <i>Campylobacter coli</i> <i>Campylobacter fetus</i> <i>Campylobacter jejuni</i> <i>Capnocytophaga canimorsus</i> <i>Capnocytophaga cynodegmi</i> <i>Capnocytophaga gingivalis</i> <i>Capnocytophaga granulosa</i> <i>Capnocytophaga haemolytica</i>	

	<i>Capnocytophaga leadbetteri</i> <i>Capnocytophaga ochracea</i> <i>Capnocytophaga sputigena</i> <i>Cardiobacterium hominis</i> <i>Chlamydia muridarum</i> <i>Chlamydia suis</i> <i>Chlamydia trachomatis</i> <i>Chlamydophila abortus</i> <i>Chlamydophila caviae</i> <i>Chlamydophila felis</i> <i>Chlamydophila pecorum</i> <i>Chlamydophila pneumoniae</i> <i>Chlamydophila psittaci</i> <i>Chromobacterium violaceum</i> <i>Citrobacter freundii</i> <i>Citrobacter rodentium</i> <u><i>Clostridioides difficile</i></u> <i>Clostridium argentinense</i> <i>Clostridium botulinum</i> <i>Clostridium butyricum</i>(ボツリヌス 毒素産生株に限る。) <i>Clostridium chauvoei</i> <i>Clostridium colinum</i> <i>Clostridium haemolyticum</i> <i>Clostridium histolyticum</i> <i>Clostridium novyi</i> <i>Clostridium perfringens</i> <i>Clostridium piliforme</i> <i>Clostridium septicum</i> <i>Clostridium sporogenes</i> <i>Clostridium tetani</i> <i>Corynebacterium diphtheriae</i> <i>Corynebacterium jeikeium</i> <i>Corynebacterium kutscheri</i>	
	<i>Capnocytophaga leadbetteri</i> <i>Capnocytophaga ochracea</i> <i>Capnocytophaga sputigena</i> <i>Cardiobacterium hominis</i> <i>Chlamydia muridarum</i> <i>Chlamydia suis</i> <i>Chlamydia trachomatis</i> <i>Chlamydophila abortus</i> <i>Chlamydophila caviae</i> <i>Chlamydophila felis</i> <i>Chlamydophila pecorum</i> <i>Chlamydophila pneumoniae</i> <i>Chlamydophila psittaci</i> <i>Chromobacterium violaceum</i> <i>Citrobacter freundii</i> <i>Citrobacter rodentium</i> <u><i>Clostridioides difficile</i> (旧分類 名<i>Clostridium difficile</i>)</u> <i>Clostridium argentinense</i> <i>Clostridium botulinum</i> <i>Clostridium butyricum</i>(ボツリヌス 毒素産生株に限る。) <i>Clostridium chauvoei</i> <i>Clostridium colinum</i> <i>Clostridium haemolyticum</i> <i>Clostridium histolyticum</i> <i>Clostridium novyi</i> <i>Clostridium perfringens</i> <i>Clostridium piliforme</i> <i>Clostridium septicum</i> <i>Clostridium sporogenes</i> <i>Clostridium tetani</i> <i>Corynebacterium diphtheriae</i> <i>Corynebacterium jeikeium</i> <i>Corynebacterium kutscheri</i>	

	<i>Corynebacterium pseudodiphtheriticum</i> <i>Corynebacterium pseudotuberculosis</i> <i>Corynebacterium renale</i> <i>Corynebacterium ulcerans</i> <i>Ehrlichia canis</i> <i>Ehrlichia chaffeensis</i> <i>Ehrlichia ewingii</i> <i>Ehrlichia muris</i> <u><i>Elizabethkingia meningoseptica</i></u>	
	<i>Enterobacter asburiae</i> <i>Enterobacter cloacae</i> <i>Enterococcus cecorum</i> <i>Enterococcus faecalis</i> (バンコマイシン耐性株に限る。) <i>Enterococcus faecium</i> (バンコマイシン耐性株に限る。) <i>Erysipelothrix rhusiopathiae</i> <i>Erysipelothrix tonsillarum</i> <i>Escherichia albertii</i> <i>Escherichia coli</i> (腸管、尿路等における病原性を有する株に限る。) <i>Facklamia sourekii</i> <i>Filobacterium rodentium</i> <i>Fluoribacter bozemanæ</i> <i>Fluoribacter dumoffii</i> <i>Fluoribacter gormanii</i> <i>Francisella hispaniensis</i> <i>Francisella philomiragia</i> <i>Francisella tularensis</i> subsp. <i>holarctica</i> (LVS株に限る。) <u><i>Francisella tularensis</i> subsp.</u>	
	<i>Corynebacterium pseudodiphtheriticum</i> <i>Corynebacterium pseudotuberculosis</i> <i>Corynebacterium renale</i> <i>Corynebacterium ulcerans</i> <i>Ehrlichia canis</i> <i>Ehrlichia chaffeensis</i> <i>Ehrlichia ewingii</i> <i>Ehrlichia muris</i> <u><i>Elizabethkingia meningoseptica</i></u> (旧分類名 <u><i>Chryseobacterium meningosepticum</i></u>) <i>Enterobacter asburiae</i> <i>Enterobacter cloacae</i> <i>Enterococcus faecalis</i> (バンコマイシン耐性株に限る。) <i>Enterococcus faecium</i> (バンコマイシン耐性株に限る。) <i>Erysipelothrix rhusiopathiae</i> <i>Erysipelothrix tonsillarum</i> <i>Escherichia albertii</i> <i>Escherichia coli</i> (腸管、尿路等における病原性を有する株に限る。) <i>Facklamia sourekii</i> <i>Filobacterium rodentium</i> <i>Fluoribacter bozemanæ</i> <i>Fluoribacter dumoffii</i> <i>Fluoribacter gormanii</i> <i>Francisella hispaniensis</i> <i>Francisella philomiragia</i> <i>Francisella tularensis</i> subsp. <i>holarctica</i> (LVS株に限る。) <u><i>Francisella tularensis</i> subsp.</u>	

novicida

Francisella tularensis subsp.
tularensis (B38株に限る。)

Fusobacterium necrophorum

Fusobacterium nucleatum

Haemophilus aegyptius

Haemophilus ducreyi

Haemophilus haemolyticus

Haemophilus influenzae

Haemophilus parainfluenzae

Haemophilus parasuis

Helicobacter bilis

Helicobacter bizzozeronii

Helicobacter canadensis

Helicobacter canis

Helicobacter cinaedi

Helicobacter felis

Helicobacter fennelliae

Helicobacter heilmannii

Helicobacter hepaticus

Helicobacter pullorum

Helicobacter pylori

Helicobacter salomonis

Helicobacter suis

Histophilus somni

Klebsiella aerogenes

Klebsiella granulomatis

Klebsiella oxytoca

Klebsiella pneumoniae

Lawsonia intracellularis

Leclercia adecarboxylata

*Legionella*属全種

Leptospira interrogans

novicida (旧分類名 *Francisella*
novicida)

Francisella tularensis subsp.
tularensis (B38株に限る。)

Fusobacterium necrophorum

Fusobacterium nucleatum

Haemophilus aegyptius

Haemophilus ducreyi

Haemophilus haemolyticus

Haemophilus influenzae

Haemophilus parainfluenzae

Haemophilus parasuis

Helicobacter bilis

Helicobacter bizzozeronii

Helicobacter canadensis

Helicobacter canis

Helicobacter cinaedi

Helicobacter felis

Helicobacter fennelliae

Helicobacter heilmannii

Helicobacter hepaticus

Helicobacter pullorum

Helicobacter pylori

Helicobacter salomonis

Helicobacter suis

Histophilus somni (旧分類名 *Hae-*
mophilus somnus)

Klebsiella aerogenes

Klebsiella granulomatis

Klebsiella oxytoca

Klebsiella pneumoniae

Lawsonia intracellularis

Leclercia adecarboxylata

*Legionella*属全種

Leptospira interrogans

Listeria ivanovii
Listeria monocytogenes
Mannheimia haemolytica

Moraxella bovis
Moraxella catarrhalis
Moraxella ovis
Moraxella saccharolytica
Mycobacterium abscessus
Mycobacterium asiaticum
Mycobacterium avium
Mycobacterium branderi
Mycobacterium celatum
Mycobacterium chelonae
Mycobacterium flavescens
Mycobacterium fortuitum
Mycobacterium gadium
Mycobacterium gastri
Mycobacterium genavense
Mycobacterium gordonae
Mycobacterium haemophilum
Mycobacterium intracellulare
Mycobacterium kansasii
Mycobacterium leprae

Mycobacterium lepraemurium
Mycobacterium lepromatosis

Mycobacterium malmoense
Mycobacterium marinum
Mycobacterium mucogenicum
Mycobacterium neoaurum
Mycobacterium nonchromogenicum
Mycobacterium rhodesiae
Mycobacterium scrofulaceum
Mycobacterium senegalense
Mycobacterium shimoidei

Listeria ivanovii
Listeria monocytogenes
Mannheimia haemolytica (旧分類名
Pasteurella haemolytica)
Moraxella bovis
Moraxella catarrhalis
Moraxella ovis
Moraxella saccharolytica
Mycobacterium abscessus
Mycobacterium asiaticum
Mycobacterium avium
Mycobacterium branderi
Mycobacterium celatum
Mycobacterium chelonae
Mycobacterium flavescens
Mycobacterium fortuitum
Mycobacterium gadium
Mycobacterium gastri
Mycobacterium genavense
Mycobacterium gordonae
Mycobacterium haemophilum
Mycobacterium intracellulare
Mycobacterium kansasii
Mycobacterium leprae

Mycobacterium lepraemurium

Mycobacterium malmoense
Mycobacterium marinum
Mycobacterium mucogenicum
Mycobacterium neoaurum
Mycobacterium nonchromogenicum
Mycobacterium rhodesiae
Mycobacterium scrofulaceum
Mycobacterium senegalense
Mycobacterium shimoidei

	<i>Mycobacterium simiae</i> <i>Mycobacterium sphagni</i> <i>Mycobacterium szulgai</i> <i>Mycobacterium thermoresistibile</i> <u><i>Mycobacterium tuberculosis</i></u> <u>var. <i>capare</i></u> <u><i>Mycobacterium tuberculosis</i></u> <u>var. <i>microti</i></u> <i>Mycobacterium ulcerans</i> <i>Mycobacterium vaccae</i> <i>Mycobacterium xenopi</i> <i>Mycoplasma</i>属全種 (<i>Mycoplasma mycoides</i> subsp. <i>mycoides</i>を除き、<i>Mycoplasma mycoides</i> subsp. <i>mycoides</i> (V株)を含む。) <i>Neisseria gonorrhoeae</i> <i>Neisseria meningitidis</i> <i>Neorickettsia risticii</i> <i>Neorickettsia sennetsu</i> <i>Nocardia abscessus</i> <i>Nocardia aobensis</i> <i>Nocardia arthritidis</i> <i>Nocardia asteroides</i> <i>Nocardia beijingensis</i> <i>Nocardia brasiliensis</i> <i>Nocardia concava</i> <i>Nocardia cyriacigeorgica</i> <i>Nocardia elegans</i> <i>Nocardia farcinica</i> <i>Nocardia niigatensis</i> <i>Nocardia nova</i> <i>Nocardia otitidiscaviarum</i>	
	<i>Mycobacterium simiae</i> <i>Mycobacterium sphagni</i> <i>Mycobacterium szulgai</i> <i>Mycobacterium thermoresistibile</i> <u><i>Mycobacterium tuberculosis</i></u> <u>var. <i>capare</i> (旧名称<i>Mycobacterium caprae</i>)</u> <u><i>Mycobacterium tuberculosis</i></u> <u>var. <i>microti</i> (旧名称<i>Mycobacterium microti</i>)</u> <i>Mycobacterium ulcerans</i> <i>Mycobacterium vaccae</i> <i>Mycobacterium xenopi</i> <i>Mycoplasma</i>属全種 (<i>Mycoplasma mycoides</i> subsp. <i>mycoides</i>を除き、<i>Mycoplasma mycoides</i> subsp. <i>mycoides</i> (V株)を含む。) <i>Neisseria gonorrhoeae</i> <i>Neisseria meningitidis</i> <i>Neorickettsia risticii</i> <i>Neorickettsia sennetsu</i> <i>Nocardia abscessus</i> <i>Nocardia aobensis</i> <i>Nocardia arthritidis</i> <i>Nocardia asteroides</i> <i>Nocardia beijingensis</i> <i>Nocardia brasiliensis</i> <i>Nocardia concava</i> <i>Nocardia cyriacigeorgica</i> <i>Nocardia elegans</i> <i>Nocardia farcinica</i> <i>Nocardia niigatensis</i> <i>Nocardia nova</i> <i>Nocardia otitidiscaviarum</i>	∞

Nocardia paucivorans
Nocardia puris
Nocardia vinacea
Ochrobactrum anthropi
Paeniclostridium sordellii

Pasteurella multocida (出血性敗血症又は家きんコレラ由来ではない株に限る。)

Photobacterium damsela
Plesiomonas shigelloides
Porphyromonas gingivalis
Prevotella intermedia
Proteus mirabilis
Proteus penneri
Proteus vulgaris
Providencia rettgeri

Pseudomonas aeruginosa
Ralstonia mannitolilytica

Rhodococcus hoagii

Riemerella anatipestifer
Rodentibacter pneumotropicus

Rothia dentocariosa
*Salmonella*属全種 (*S. enterica* subsp. *enterica* serovar TyphimuriumのTA98株、TA100株及びTA1535株並びに*S. subterranea*を除く。)

Serratia liquefaciens

Nocardia paucivorans
Nocardia puris
Nocardia vinacea
Ochrobactrum anthropi
Paeniclostridium sordellii (旧分類名*Clostridium sordellii*)

Pasteurella multocida (出血性敗血症又は家きんコレラ由来ではない株に限る。)

Photobacterium damsela
Plesiomonas shigelloides
Porphyromonas gingivalis
Prevotella intermedia
Proteus mirabilis
Proteus penneri
Proteus vulgaris
Providencia rettgeri

Pseudomonas aeruginosa

Rhodococcus hoagii (旧分類名*Rhodococcus equi*)

Riemerella anatipestifer
Rodentibacter pneumotropicus (旧分類名*Pasteurella pneumotropica*)

Rothia dentocariosa
*Salmonella*属全種 (*S. enterica* subsp. *enterica* serovar Paratyphi A、*S. enterica* subsp. *enterica* serovar Typhi、*S. enterica* subsp. *enterica* serovar TyphimuriumのTA98株、TA100株及びTA1535株並びに*S. subterranea*を除く。)

Serratia liquefaciens

Serratia marcescens
Serratia rubidaea
*Shigella*属全種
Simkania negevensis
Staphylococcus aureus
Staphylococcus hyicus
Streptobacillus moniliformis
Streptococcus acidominimus
Streptococcus agalactiae
Streptococcus anginosus
Streptococcus canis
Streptococcus constellatus
subsp. *constellatus*
Streptococcus constellatus
subsp. *pharyngis*
Streptococcus dysgalactiae
Streptococcus equi
Streptococcus intermedius
Streptococcus parasanguinis
Streptococcus pneumoniae
Streptococcus porcinus
Streptococcus pyogenes
Streptococcus ruminantium
Streptococcus sanguinis
Streptococcus sinensis
Streptococcus suis
Streptococcus uberis
Tannerella forsythia
Tatlockia micdadei
Taylorella equigenitalis
Treponema carateum
Treponema denticola
Treponema pallidum
Treponema paraluis-cuniculi
Treponema pertense

Serratia marcescens
Serratia rubidaea
*Shigella*属全種
Simkania negevensis
Staphylococcus aureus
Staphylococcus hyicus
Streptobacillus moniliformis
Streptococcus acidominimus
Streptococcus agalactiae
Streptococcus anginosus
Streptococcus canis
Streptococcus constellatus
subsp. *constellatus*
Streptococcus constellatus
subsp. *pharyngis*
Streptococcus dysgalactiae
Streptococcus equi
Streptococcus intermedius
Streptococcus parasanguinis
Streptococcus pneumoniae
Streptococcus porcinus
Streptococcus pyogenes
Streptococcus ruminantium
Streptococcus sanguinis
Streptococcus sinensis
Streptococcus suis
Streptococcus uberis
Tannerella forsythia
Tatlockia micdadei
Taylorella equigenitalis
Treponema carateum
Treponema denticola
Treponema pallidum
Treponema paraluis-cuniculi
Treponema pertense

	<i>Tropheryma whipplei</i> <u><i>Trueperella bernardiae</i></u> <u><i>Trueperella pyogenes</i></u> <i>Ureaplasma urealyticum</i> <i>Vibrio cholerae</i> <i>Vibrio fluvialis</i> <i>Vibrio mimicus</i> <i>Vibrio parahaemolyticus</i> <i>Vibrio vulnificus</i> <i>Yersinia enterocolitica</i> <i>Yersinia frederiksenii</i> <i>Yersinia intermedia</i> <i>Yersinia pseudotuberculosis</i>	
	(2) 真菌のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） [略]	
	(3) 原虫のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） [略]	
	(4) 寄生虫のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） [略]	
	(5) 真核生物を自然宿主とするウイルスのうち、イ及びロに掲げるもの イ 次に掲げるもの（承認生ワクチン株を除く。） Abatino macacapox virus Adenovirus Aguacate virus	
	<i>Tropheryma whipplei</i> <u><i>Trueperella bernardiae</i></u>（旧分類名 <u><i>Arcanobacterium bernardiae</i></u>） <u><i>Trueperella pyogenes</i></u>（旧分類名 <u><i>Arcanobacterium pyogenes</i></u>） <i>Ureaplasma urealyticum</i> <i>Vibrio cholerae</i> <i>Vibrio fluvialis</i> <i>Vibrio mimicus</i> <i>Vibrio parahaemolyticus</i> <i>Vibrio vulnificus</i> <i>Yersinia enterocolitica</i> <i>Yersinia frederiksenii</i> <i>Yersinia intermedia</i> <i>Yersinia pseudotuberculosis</i>	
	(2) 真菌のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） [同上]	
	(3) 原虫のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） [同上]	
	(4) 寄生虫のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） [同上]	
	(5) 真核生物を自然宿主とするウイルスのうち、イ及びロに掲げるもの イ 次に掲げるもの（承認生ワクチン株を除く。） Adenovirus Aguacate virus	

		Aichivirus A			Aichivirus A
		Aichivirus B			Aichivirus B
		Akhmeta virus			
		Alcelaphine herpesvirus 1			Alcelaphine herpesvirus 1
		Alenquer virus			Alenquer virus
		Alethinophid 1 reptarenavirus			Alethinophid 1 reptarenavirus
		Alethinophid 2 reptarenavirus			Alethinophid 2 reptarenavirus
		Alethinophid 3 reptarenavirus			Alethinophid 3 reptarenavirus
		American dog tick phlebovirus			American dog tick phlebovirus
		Apoi virus			Apoi virus
		Arbia virus			Arbia virus
		Armero virus			Armero virus
		Aroa virus			Aroa virus
		Aruac arurhavirus			
		Arumowot virus			Arumowot virus
		Asama virus			Asama virus
		Atypical porcine pestivirus			
		<u>Avastrovirus</u>			<u>Avastrovirus (旧分類名Aviastro-</u>
		Avian encephalomyelitis virus			<u>virus)</u>
		Avian hepatitis E virus			Avian encephalomyelitis virus
		Avian metapneumovirus (別名Tur-			Avian hepatitis E virus
		key rhinotrachitis virus)			Avian metapneumovirus (別名Tur-
		Avian paramyxovirus			key rhinotrachitis virus)
		Avian orthoreovirus			Avian paramyxovirus
		Avian retrovirus			Avian orthoreovirus
		Avihepatovirus			Avian retrovirus
		Avipoxvirus			Avihepatovirus
		Bagaza virus			Avipoxvirus
		Banzi virus			
		Bat deltavirus			
		Bat mumps virus			Bat mumps virus
		Bebaru virus			Bebaru virus
		Beiji nairovirus			

		Blacklegged tick phlebovirus 1 Bole Tick Virus 1 Border disease virus Borealpox virus Borna disease virus Bourbon virus Bovine astrovirus Bovine ephemeral fever virus Bovine herpesvirus Bovine papular stomatitis virus Bovine parechovirus Bovine respiratory syncytial virus Bovine rhinitis A virus Bovine rhinitis B virus Bovine viral diarrhea virus Burana virus Camelpox virus Candiru virus Canine circovirus Canine distemper virus Canine herpesvirus Cardiovirus (Encephalomyocardi- tis virus及びTheiler's murine encephalomyelitis virusを含む。) Caviid herpesvirus 1 Cedar virus Cetacean morbillivirus Chagres virus Chandipura vesiculovirus Chicken anemia virus	
		Blacklegged tick phlebovirus 1 Bole Tick Virus 1 Border disease virus Borna disease virus Bovine astrovirus Bovine ephemeral fever virus Bovine herpesvirus Bovine papular stomatitis virus Bovine respiratory syncytial virus Bovine rhinitis A virus Bovine rhinitis B virus Bovine viral diarrhea virus Candiru virus Canine distemper virus Canine herpesvirus Cardiovirus (Encephalomyocardi- tis virus及びTheiler's murine encephalomyelitis virusを含む。) (旧分類名Theilovirus) Caviid herpesvirus 1 Cetacean morbillivirus Chagres virus Chandipura vesiculovirus Chicken anemia virus	

Chize virus
Coastal Plains tibrovirus

Coronavirus (MERS coronavirus 及び SARS-related coronavirus を除く。)

Cosavirus A
Cowpox virus
Cytomegalovirus

Dabieshan Tick Virus
Daeryong virus
Dengue virus
Dhori virus
Domestic cat hepadnavirus

Duck hepatitis virus
Duck hepatitis B virus
Duck herpesvirus 1 (別名 Duck plague virus、Duck enteritis virus)
Dugbe virus
Durania virus
Ectromelia virus
Enterovirus A

Enterovirus B

Enterovirus C (Poliovirus 1, 2, 3 を含む。)

Enterovirus D

Enterovirus E
Enterovirus F
Enterovirus G

Chize virus

Coronavirus (MERS coronavirus、SARS coronavirus 及び SARS coronavirus 2 を除く。)

Cosavirus A
Cowpox virus
Cytomegalovirus

Dabieshan Tick Virus

Dengue virus
Dhori virus

Duck hepatitis virus
Duck hepatitis B virus
Duck herpesvirus 1 (別名 Duck plague virus、Duck enteritis virus)
Dugbe virus
Durania virus
Ectromelia virus

Enterovirus A (旧分類名 Human enterovirus A)

Enterovirus B (旧分類名 Human enterovirus B)

Enterovirus C (Poliovirus 1, 2, 3 を含む。) (旧分類名 Human enterovirus C)

Enterovirus D (旧分類名 Human enterovirus D)

Enterovirus E
Enterovirus F

Enterovirus G (旧分類名 Porcine enterovirus B)

Enterovirus H

Epstein-Barr (略称EB) virus
Equine arteritis virus
Equine herpesvirus
Equine rhinitis A virus
Erbovirus A
Feline herpesvirus
Feline morbillivirus
FinV707 virus
Forecariah virus
Fukuoka virus

Gabek Forest virus
Gamak virus

GB virus B
Getah virus
Ghana virus
Goatpox virus
Gordil virus
Gossas virus

Grand Arbaud virus
Gray Lodge hapavirus

Hazara virus
Hepatitis A virus
Hepatitis B virus
Hepatitis C virus
Hepatitis D virus
Hepatitis E virus
Hepatitis G virus

Herpes simplex virus 1, 2
Hokkaido virus

Horsepox virus
Huangpi Tick Virus 1, 2
Human astrovirus

Enterovirus H (旧分類名Simian
enterovirus A)

Epstein-Barr (略称EB) virus
Equine arteritis virus
Equine herpesvirus
Equine rhinitis A virus
Erbovirus A
Feline herpesvirus
Feline morbillivirus
FinV707 virus
Forecariah virus
Fukuoka virus

Gabek Forest virus

GB virus B
Getah virus
Ghana virus
Goatpox virus
Gordil virus
Gossas virus

Grand Arbaud virus

Hazara virus
Hepatitis A virus
Hepatitis B virus
Hepatitis C virus
Hepatitis D virus
Hepatitis E virus
Hepatitis G virus

Herpes simplex virus 1, 2

Horsepox virus
Huangpi Tick Virus 2
Human astrovirus

Human herpesvirus 6, 7, 8
 Human immunodeficiency virus (略称HIV) 1 (増殖力等欠損株 (自立的な増殖力及び感染力を保持せず、かつ、哺乳動物等に対する病原性がない株であって、使用等を通じて自立的な増殖力及び感染力又は病原性を獲得することがないものをいう。以下同じ。)に限る。)
 Human metapneumovirus
 Human respiratory syncytial virus
 Ilheus virus
 Infectious bursal disease virus
 Infectious laryngotracheitis virus
 Influenza virus (高病原性株 (Highly pathogenic avian influenza virusを含む。)を除く。)
 Isfahan vesiculovirus
 Issyk-Kul virus
 Itaituba virus
 Ixcanal virus
 Japanese encephalitis virus
 Jingmen tick virus group virus
 Junin virus (Candid#1株に限る。)
 Jurona vesiculovirus
 Kabuto Mountain virus
 Karimabad virus
 Karshi virus
 Kasokero orthonairovirus
 Kedougou virus

Human herpesvirus 6, 7, 8
 Human immunodeficiency virus (略称HIV) 1 (増殖力等欠損株 (自立的な増殖力及び感染力を保持せず、かつ、哺乳動物等に対する病原性がない株であって、使用等を通じて自立的な増殖力及び感染力又は病原性を獲得することがないものをいう。以下同じ。)に限る。)
 Human metapneumovirus
 Human respiratory syncytial virus
 Ilheus virus
 Infectious bursal disease virus
 Infectious laryngotracheitis virus
 Influenza virus (高病原性株 (Highly pathogenic avian influenza virusを含む。)を除く。)
 Issyk-Kul virus
 Itaituba virus
 Ixcanal virus
 Japanese encephalitis virus
 Jingmen tick virus group virus
 Junin virus (Candid#1株に限る。)
 Kabuto Mountain virus
 Karimabad virus
 Kasokero orthonairovirus

Keterah virus
Khabarovsk virus
Khasan virus
Kismayo virus
Kokobera virus

Komandory virus
Kunjin virus
Kuriyama virus
Lactate dehydrogenase-elevat-
ing virus
Lagovirus

Langat virus
Langya henipavirus
Latino virus
LCM (Lymphocytic choriomenin-
gitis) virus
Le Dantec ledantevirus

Lihan Tick Virus
Lone Star virus
Mammalian retrovirus (Human im-
munodeficiency virus (略称HIV)
1, 2を除く。)

Manawa virus
Manitoba hapavirus
Marco hapavirus
Marek's disease virus
Marmota monax deltavirus

Measles virus
Megrivirus

Meleagrid herpesvirus 2 (別名
Turkey herpesvirus)
Midway virus

Mobala virus
Modoc virus

Keterah virus
Khabarovsk virus
Khasan virus
Kismayo virus

Komandory virus
Kunjin virus
Kuriyama virus
Lactate dehydrogenase-elevat-
ing virus
Lagovirus

Langat virus

Latino virus
LCM (Lymphocytic choriomenin-
gitis) virus

Lihan Tick Virus
Lone Star virus
Mammalian retrovirus (Human im-
munodeficiency virus (略称HIV)
1, 2を除く。)

Manawa virus

Marek's disease virus

Measles virus
Megrivirus

Meleagrid herpesvirus 2 (別名
Turkey herpesvirus)

Mobala virus
Modoc virus

		Mojiang virus		Mojiang virus	
		Molluscum contagiosum virus		Molluscum contagiosum virus	
		Mopeia virus		Mopeia virus	
		Mukawa virus		Mukawa virus	
		Mumps virus		Mumps virus	
		Munguba virus		Munguba virus	
		Murid herpesvirus		Murid herpesvirus	
		Murine pneumonia virus (別名		Murine pneumonia virus (別名	
		Pneumo virus of mice (略称PVM)		Pneumo virus of mice (略称PVM)	
		)		)	
		Murre virus		Murre virus	
		Myxoma virus		Myxoma virus	
		Nairobi sheep disease virus		Nairobi sheep disease virus	
		Naples virus		Naples virus	
		Nelson Bay orthoreovirus		Nelson Bay orthoreovirus	
		Nique virus		Nique virus	
		Nishimuro ledantevirus			
		Norovirus		Norovirus	
		Norway rat pestivirus			
		Nymanini virus		Nymanini virus	
		Odocoileus virginianus del-			
		tavirus			
		Odrenisrou virus		Odrenisrou virus	
		Oita virus		Oita virus	
		O'Nyong-Nyong virus		O'Nyong-Nyong virus	
		Orbivirus (African horse sick-		Orbivirus (African horse sick-	
		ness virus を除き、Muko virusを		ness virus を除き、Muko virusを	
		含む。)		含む。)	
		Orf virus		Orf virus	
		Oriximina virus		Oriximina virus	
		Orthobunyavirus (Jamestown Can-		Orthobunyavirus (Jamestown Can-	
		yon virusを含む。)		yon virusを含む。)	
		Ovine herpesvirus 1 (別名Ovine		Ovine herpesvirus 1 (別名Ovine	

pulmonary adenomatosis associated herpesvirus)
 Ovine herpesvirus 2
 Oz virus
 Palma virus
 Papiine alphaherpesvirus 2
 Papillomavirus
Parainfluenza virus (Bovine respirovirus、Human respirovirus及びMurine respirovirus (別名Sendai virus) を含む。)
Parechovirus A

Parechovirus B

Parvovirus (Adeno-associated virusを除く。)

Perinet vesiculovirus

Phocine morbillivirus

Pichinde virus

Pigeon circovirus

Poikilothermal vertebrate retrovirus

Polyomavirus

Porcine astrovirus

Porcine circovirus

Porcine morbillivirus

Porcine reproductive and respiratory syndrome virus

Porcine teschovirus

Precairious point virus

Pronghorn antelope pestivirus

Prospect Hill virus

pulmonary adenomatosis associated herpesvirus)
 Ovine herpesvirus 2
 Oz virus
 Palma virus
 Papiine alphaherpesvirus 2
 Papillomavirus
Parainfluenza virus

Parechovirus A (旧分類名Human parechovirus)
Parechovirus B (旧分類名Ljungan virus)

Parvovirus (Adeno-associated virusを除く。)

Phocine morbillivirus

Pichinde virus

Poikilothermal vertebrate retrovirus

Polyomavirus

Porcine astrovirus

Porcine circovirus

Porcine reproductive and respiratory syndrome virus

Porcine teschovirus

Precairious point virus

Prospect Hill virus

Pseudocowpox virus
Psittacine circovirus
Rabies lyssavirus (固定株及び弱毒
化株に限る。)

Raccoonpox virus
Radi vesiculovirus
Razdan virus
Recovirus A

Rhinovirus A

Rhinovirus B

Rhinovirus C

Rio Bravo virus
RML-105355 virus
Rodent hepacivirus
Ross river virus
Rotavirus

Rubella virus
Ruhugu virus
Rukutama virus
Rustrela virus

Saimiriine gammaherpesvirus 2
Saint Floris virus
Salanga virus
Salehabad virus
Sandfly fever Naples phlebo-
virus

Sandfly fever Sicilian virus
San Jacinto virus

Sapelovirus A

Pseudocowpox virus
Psittacine circovirus
Rabies lyssavirus (旧分類名Ra-
bies virus) (固定株及び弱毒化株に
限る。)

Razdan virus

Rhinovirus A (旧分類名Human rhi-
novirus A)

Rhinovirus B (旧分類名Human rhi-
novirus B)

Rhinovirus C (旧分類名Human rhi-
novirus C)

Rio Bravo virus
RML-105355 virus
Rodent hepacivirus
Ross river virus
Rotavirus

Rubella virus

Rukutama virus

Saimiriine gammaherpesvirus 2
Saint Floris virus
Salanga virus
Salehabad virus
Sandfly fever Naples phlebo-
virus

Sandfly fever Sicilian virus

Sapelovirus A (旧分類名Porcine
sapelovirus)

Sapovirus
 Semliki Forest virus (増殖力等欠損株に限る。)
 Serra Norte virus
 Sheeppox virus
 Shope fibroma virus
 Silverwater virus
 Simian virus 5
 Simian hemorrhagic fever virus
 Simian herpesvirus (Cercopithecine herpesvirus 1 (別名B-virus) 及びHerpes ateles virusを除く。)
 Sindbis virus
 Skunkpox virus
 Soft tick bunyavirus
 Suid herpesvirus 1 (別名Pseudorabies virus、Aujeszky's disease virus)
 Suid herpesvirus 2 (別名Pig cytomegalovirus)
 Swinepox virus
 Swine vesicular disease virus
 Tacaribe virus
 Tacheng Tick virus 1, 2
 Taeniopygia guttata delta-virus
 Taeniopygia guttata hepatitis D virus
 Tamdy orthonairovirus
 Tanapox virus
 Tarumizu tick virus
 Taterapox virus

Sapovirus
 Semliki Forest virus (増殖力等欠損株に限る。)
 Serra Norte virus
 Sheeppox virus
 Shope fibroma virus
 Silverwater virus
 Simian virus 5
 Simian herpesvirus (Cercopithecine herpesvirus 1 (別名B-virus) 及びHerpes ateles virusを除く。)
 Sindbis virus
 Soft tick bunyavirus
 Suid herpesvirus 1 (別名Pseudorabies virus、Aujeszky's disease virus)
 Suid herpesvirus 2 (別名Pig cytomegalovirus)
 Swinepox virus
 Swine vesicular disease virus
 Tacaribe virus
 Tacheng Tick virus 2
 Tanapox virus
 Tarumizu tick virus

Tehran virus
Thogoto virus

Thottapalayam virus
Tibrogargan virus
Tofla virus
Tome's spiny-rat virus 1

Torovirus
Torque teno(略称TT) virus
Tremovirus
Tula virus
Usutu virus
Uukuniemi virus
Varicella-zoster virus
Vesicular stomatitis Alagoas virus
Vesicular stomatitis Indiana virus
Vesicular stomatitis New Jersey virus

Vesivirus
Volepox virus
Wenzhou Tick Virus
White Water Arroyo virus
Woodchuck hepatitis D virus
Woodchuck hepatitis virus
Yaba monkey tumor virus
Yezo virus

Yokose virus
Yongjia Tick virus 1
Zaliv Terpenia virus
Zika virus

ロ 次に掲げるもの

Rinderpest virus (生ワクチン株に限る。)

Tehran virus
Thogoto virus

Thottapalayam virus

Tofla virus

Torovirus
Torque teno(略称TT) virus
Tremovirus
Tula virus
Usutu virus
Uukuniemi virus
Varicella-zoster virus
Vesicular stomatitis Alagoas virus
Vesicular stomatitis Indiana virus
Vesicular stomatitis New Jersey virus

Vesivirus

White Water Arroyo virus

Woodchuck hepatitis virus
Yaba monkey tumor virus

Yokose virus
Yongjia Tick virus 1
Zaliv Terpenia virus
Zika virus

ロ 次に掲げるもの

Rinderpest virus (生ワクチン株に限る。)

	Vaccinia virus (Dis株及びLC16m8株を除く。)		Vaccinia virus (Dis株及びLC16m8株を除く。)
3 省令 第三条 の表第 三号の 文部科 学大臣 が定め る微生 物等	(1) 原核生物のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） <i>Bacillus anthracis</i> (34F2株及びDavis株を除く。) <i>Brucella</i>属全種 <i>Burkholderia mallei</i> <i>Burkholderia pseudomallei</i> <i>Coxiella burnetii</i> <i>Francisella tularensis</i> subsp. <i>holarctica</i> (LVS株を除く。) <i>Francisella tularensis</i> subsp. <i>mediasiatica</i> <i>Francisella tularensis</i> subsp. <i>tularensis</i> (B38株を除く。) <i>Morococcus cerebrosus</i> <u><i>Mycobacterium tuberculosis</i> var. <i>africanum</i></u> <u><i>Mycobacterium tuberculosis</i> var. <i>bovis</i></u> (BCG株を除く。) <u><i>Mycobacterium tuberculosis</i> var. <i>tuberculosis</i></u> <i>Mycoplasma mycoides</i> subsp. <i>mycoides</i> (V株を除く。) <i>Orientia tsutsugamushi</i> <i>Pasteurella multocida</i> (出血性敗血症又は家きんコレラ由来ではない株を除く。) <i>Rickettsia aeschlimannii</i> <i>Rickettsia africae</i>	3 省令 第三条 の表第 三号の 文部科 学大臣 が定め る微生 物等	(1) 原核生物のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） <i>Bacillus anthracis</i> (34F2株及びDavis株を除く。) <i>Brucella</i>属全種 <i>Burkholderia mallei</i> <i>Burkholderia pseudomallei</i> <i>Coxiella burnetii</i> <i>Francisella tularensis</i> subsp. <i>holarctica</i> (LVS株を除く。) <i>Francisella tularensis</i> subsp. <i>mediasiatica</i> <i>Francisella tularensis</i> subsp. <i>tularensis</i> (B38株を除く。) <i>Morococcus cerebrosus</i> <u><i>Mycobacterium tuberculosis</i> var. <i>africanum</i></u> (旧分類名<i>Mycobacterium africanum</i>) <u><i>Mycobacterium tuberculosis</i> var. <i>bovis</i></u> (旧分類名<i>Mycobacterium bovis</i>) (BCG株を除く。) <u><i>Mycobacterium tuberculosis</i> var. <i>tuberculosis</i></u> (旧分類名<i>Mycobacterium tuberculosis</i>) <i>Mycoplasma mycoides</i> subsp. <i>mycoides</i> (V株を除く。) <i>Orientia tsutsugamushi</i> <i>Pasteurella multocida</i> (出血性敗血症又は家きんコレラ由来ではない株を除く。) <i>Rickettsia aeschlimannii</i> <i>Rickettsia africae</i>

	<i>Rickettsia akari</i> <u><i>Rickettsia amblyommatis</i></u> <i>Rickettsia australis</i> <i>Rickettsia bellii</i> <i>Rickettsia canadensis</i> <i>Rickettsia conorii</i> <i>Rickettsia felis</i> <i>Rickettsia heilongjiangensis</i> <i>Rickettsia helvetica</i> <i>Rickettsia honei</i> <i>Rickettsia japonica</i> <i>Rickettsia massiliae</i> <u><i>Rickettsia montanensis</i></u> <i>Rickettsia parkeri</i> <i>Rickettsia prowazekii</i> <i>Rickettsia raoultii</i> <i>Rickettsia rhipicephali</i> <i>Rickettsia rickettsii</i> <i>Rickettsia sibirica</i> <i>Rickettsia slovac</i> <i>Rickettsia typhi</i> <i>Yersinia pestis</i> (2) 真菌のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） <i>Blastomyces dermatitidis</i> <i>Cladophialophora bantiana</i> <i>Coccidioides immitis</i>	
	<i>Rickettsia akari</i> <u><i>Rickettsia amblyommatis</i>（旧分類名<i>Rickettsia amblyommii</i>）</u> <i>Rickettsia australis</i> <i>Rickettsia bellii</i> <i>Rickettsia canadensis</i> <i>Rickettsia conorii</i> <i>Rickettsia felis</i> <i>Rickettsia heilongjiangensis</i> <i>Rickettsia helvetica</i> <i>Rickettsia honei</i> <i>Rickettsia japonica</i> <i>Rickettsia massiliae</i> <u><i>Rickettsia montanensis</i>（旧分類名<i>Rickettsia montana</i>）</u> <i>Rickettsia parkeri</i> <i>Rickettsia prowazekii</i> <i>Rickettsia raoultii</i> <i>Rickettsia rhipicephali</i> <i>Rickettsia rickettsii</i> <i>Rickettsia sibirica</i> <i>Rickettsia slovac</i> <i>Rickettsia typhi</i> <i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Paratyphi A <i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Typhi <i>Yersinia pestis</i> (2) 真菌のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） <i>Blastomyces dermatitidis</i> <i>Cladophialophora bantiana</i> <i>Coccidioides immitis</i>	

	<i>Coccidioides posadasii</i> <i>Histoplasma</i> 属全種 <u><i>Paracoccidioides brasiliensis</i></u> (3) 真核生物を自然宿主とするウイルスのうち、次に掲げるもの（承認生ワクチン株を除く。） African horse sickness virus African swine fever virus Andes virus Ash River virus Bas-Congo tibrovirus Bayou orthohantavirus Bhanja virus Black Creek Canal orthohantavirus Camp Ripley virus Cao Bang virus Cercopithecine herpesvirus 1（別名B-virus） Chikungunya virus Classical swine fever virus（別名Hog cholera virus） Colorado tick fever virus Dobrava virus Eastern equine encephalitis virus Foot-and-mouth disease virus Guertu virus Hantaan virus Heartland virus Herpes ateles virus Human immunodeficiency virus（略称HIV）1（増殖力等欠損株を除く。）	
	<i>Coccidioides posadasii</i> <i>Histoplasma</i> 属全種 <u><i>Paracoccidioides brasiliensis</i></u> (3) 真核生物を自然宿主とするウイルスのうち、次に掲げるもの（承認生ワクチン株を除く。） African horse sickness virus African swine fever virus Andes virus Ash River virus Bas-Congo tibrovirus Bayou orthohantavirus Bhanja virus Black Creek Canal orthohantavirus Camp Ripley virus Cao Bang virus Cedar virus Cercopithecine herpesvirus 1（別名B-virus） Chikungunya virus Classical swine fever virus（別名Hog cholera virus） Colorado tick fever virus Dobrava virus Eastern equine encephalitis virus Foot-and-mouth disease virus Guertu virus Hantaan virus Heartland virus Herpes ateles virus Human immunodeficiency virus（略称HIV）1（増殖力等欠損株を除く。）	

), 2
Hunter island virus
Imjin virus
Influenza virusの高病原性株 (Highly pathogenic avian influenza virusを含む。)

Jemez Springs virus
Koutango virus

Kyasanur Forest disease virus
Laguna Negra virus
Leopards Hill virus
Louping ill virus
Lyssavirus (Rabies lyssavirusを除く。)
Lumpy skin disease virus
Luna virus
Malsoor virus
Maporal virus
Mayaro virus

MERS coronavirus
Monkeypox virus (別名Mpox virus)

Murray Valley encephalitis virus
Negishi virus
New York virus
Omsk hemorrhagic fever virus
Peste-des-petitiis ruminant virus
Powassan virus
Puumala virus
Rabies lyssavirus (固定株及び弱毒化株を除く。)

), 2
Hunter island virus
Imjin virus
Influenza virusの高病原性株 (Highly pathogenic avian influenza virusを含む。)

Jemez Springs virus

Kyasanur Forest disease virus
Laguna Negra virus
Leopards Hill virus
Louping ill virus
Lyssavirus (Rabies lyssavirusを除く。)
Lumpy skin disease virus
Luna virus
Malsoor virus
Maporal virus
Mayaro virus

MERS coronavirus

Murray Valley encephalitis virus
Negishi virus
New York virus
Omsk hemorrhagic fever virus
Peste-des-petitiis ruminant virus
Powassan virus
Puumala virus
Rabies lyssavirus (旧分類名Rabies virus) (固定株及び弱毒化株を除く。)

		Rift Valley fever virus Rinderpest virus Rocio virus Saaremaa virus SARS-related coronavirus Seewis virus Semliki Forest virus (増殖力等欠損株を除く。) Seoul virus Sepik virus Severe fever with thrombocytopenia syndrome virus Sin Nombre virus Sosuga pararubulavirus St. Louis encephalitis virus Tanganya virus Thailand virus Tick-borne encephalitis virus (Russian spring-summer encephalitis virus を含む。) Venezuelan equine encephalitis virus Wesselsbron virus Western equine encephalitis virus West Nile virus (Kunjin virusを除く。) Yellow fever virus	
4 省令 第三条 の表第 四号の	真核生物を自然宿主とするウイルスのうち、次に掲げるもの (承認生ワクチン株を除く。)	Bombali ebolavirus	
		Rift Valley fever virus Rinderpest virus Saaremaa virus SARS coronavirus SARS coronavirus 2 Seewis virus Semliki Forest virus (増殖力等欠損株を除く。) Seoul virus Severe fever with thrombocytopenia syndrome virus Sin Nombre virus St. Louis encephalitis virus Tanganya virus Thailand virus Tick-borne encephalitis virus (Russian spring-summer encephalitis virus を含む。) Venezuelan equine encephalitis virus Western equine encephalitis virus West Nile virus (Kunjin virusを除く。) Yellow fever virus	
4 省令 第三条 の表第 四号の	真核生物を自然宿主とするウイルスのうち、次に掲げるもの (承認生ワクチン株を除く。)		

文部科学大臣が定める微生物等

Bundibugyo ebolavirus
Chapare virus
Crimean-Congo hemorrhagic fever virus
Cueva virus
Dianlo virus
Guanarito virus
Hendra virus
Junin virus (Candid#1株を除く。)
Lassa virus
Lloviu cuevavirus
Lujo virus
Machupo virus
Marburg Marburgvirus

Nipah virus
Reston ebolavirus
Sabia virus
Stria virus
Sudan ebolavirus
Tai Forest ebolavirus (別名 Ivory Coast ebolavirus)
Thamno virus
Variola virus (major, minor)
Wenling frogfish filovirus
Wenling thamnacinus septentrionalis filovirus
Zaire ebolavirus

別表第3 (第5条関係)
[表略]

文部科学大臣が定める微生物等

Bundibugyo ebolavirus
Chapare virus
Crimean-Congo hemorrhagic fever virus
Cueva virus
Guanarito virus
Hendra virus
Junin virus (Candid#1株を除く。)
Lassa virus
Lloviu cuevavirus
Lujo virus
Machupo virus
Marburg marburgvirus (旧分類名 Lake Victoria marburgvirus)
Nipah virus
Reston ebolavirus
Sabia virus

Sudan ebolavirus
Tai Forest ebolavirus (別名 Ivory Coast ebolavirus)
Variola virus (major, minor)
Wenling frogfish filovirus
Wenling thamnacinus septentrionalis filovirus
Zaire ebolavirus

別表第3 (第4条関係)
[同上]

備考 表中の[]の記載及び対象規定の二重傍線を付した標記部分を除く全体に付した傍線は注記である。

附 則

（施行期日）

第一条 この告示は、公布の日から施行する。

（経過措置）

第二条 この告示の施行日から令和七年六月三十日までの間に、研究開発等に係る遺伝子組換え生物等の第二種使用等に当たって執るべき拡散防止措置については、なお従前の例によることができる。