## Observation of Magnetic Skyrmions under External Field using Quantum Beams

Yuichi Yamasaki: NIMS-MaDIS, RIKEN-CEMS, JST-PRESTO,

Taro Nakajima: RIKEN-CEMS

Magnetic skyrmion, a nanometer scale spiral magnetic structure, is expected to be utilized as a new information medium in the next generation spintronics technology. We have pconducted research to observe magnetic skyrmion under applied external field by utilizing multi-probe of quantum beams, i,e, neutron and synchrotron x-ray. At the small-angle neutron scattering beamline "TAIKAN" in J-PARC MLF facility, we demonstrated a new approach for skyrmion phase control based on a mechanical stress and succeeded in observing creation and annihilation of a skyrmion crystal in chiral magnet MnSi by applied uniaxial pressure of several tens MPa [1]. In the synchrotron facility of Photon Factory (PF), we have developed a novel experimental technique of the transmission type resonant soft x-ray small-angle scattering and observed a skyrmion crystal in chiral magnetic FeGe [2]. Since this measurement method enables to detect magnetic scattering even from a micro-meter scale sample, we succeeded in observing electric field control of the magnetic skrymion in an insulating chiral magnet Cu<sub>2</sub>OSeO<sub>3</sub> [3]. In the future, we aim at measuring characteristics of skyrmion-based device sample during device operation, i.e. "operando measurement' with utilizing features of quantum beams such as pulse neutron and coherent soft x-ray.




Fig: Observation of magnetic skyrmion under external fields by multi-probe of neutron and soft X-ray. (cited from Ref. 1 and modified to fit this abstract.)

## Bibliography

- [1] Y. Nii, T. Nakajima, <u>Y. Yamasaki et al.</u>, Nature Communications 6, 8539 (2015).
- [2] Y. Yamasaki, et al., Physical Review B 92, 220421(R) (2015).
- [3] Y. Okamura, <u>Y. Yamasaki</u> et al., Physical Review B 95, 184411 (2017).